

Before the
FEDERAL COMMUNICATIONS COMMISSION
Washington, D.C.

In the Matter of
Revision of the Commission's Rules
To Ensure Compatibility with
Enhanced 911 Emergency Calling Systems
CC Docket No. 94-102
RM-8143

MEMORANDUM OPINION AND ORDER

Adopted: December 1, 1997 Released: December 23, 1997

By the Commission: Chairman Kennard and Commissioner Tristani issuing statements.

TABLE OF CONTENTS

Table with 2 columns: Section Title and Paragraph Number. Includes sections like I. INTRODUCTION AND SUMMARY, II. BACKGROUND, III. DISCUSSION, and sub-sections A, B, C, D, E.

1. Definition of Covered SMR Services	0
a. Background and Pleadings	0
b. Discussion	0
2. Mobile Satellite Services	0
a. Background and Pleadings	0
b. Discussion	0
D. Phase I E911 Requirements	0
1. Background and Pleadings	0
2. Discussion	0
a. Clarification of Terms	0
(1) Selective Routing: Appropriate PSAP, Designated PSAP	0
(2) Section 20.03 Definitions of ANI, Pseudo-ANI	0
b. Section 20.18(d) Phase I Requirements and Implementation Schedule	0
c. Obligation To Provide Call Back Capability	0
E. Phase II E911 Requirements	0
1. Background and Pleadings	0
2. Discussion	0
a. Phase II Implementation Schedule	0
b. ALI Accuracy Standard	0
F. Other Issues	0
1. Limitation of Liability	0
2. Cost Recovery and Funding	0
3. Additional Issues	0
IV. PROCEDURAL MATTERS	0
A. Regulatory Flexibility Act	0
B. Paperwork Reduction Act of 1995 Analysis	0
C. Authority	0
D. Further Information	0
V. ORDERING CLAUSES	0
Appendix A - List of Parties	
Appendix B - Final Rules	
Appendix C - Supplemental Final Regulatory Flexibility Analysis	

I. INTRODUCTION AND SUMMARY

1. On June 12, 1996, the Commission adopted a Report and Order and a Further Notice of Proposed Rulemaking in this docket, establishing rules requiring wireless carriers to implement 911 and Enhanced 911 (E911) services.¹ The Commission received 16 petitions for reconsideration of the *E911 First Report and Order*.² By this action, we resolve the petitions for reconsideration or clarification of the rules we adopted in the *E911 First Report and Order*.

2. Thirteen of the petitioners urge the Commission to reconsider the rules governing when covered wireless carriers must make 911 access available to callers. Three petitioners request the Commission to modify or defer the implementation dates of rules requiring covered carriers to provide 911 access to people with hearing or speech disabilities through the use of Text Telephone Devices, such as TTYs.³ Five petitioners seek reconsideration of our decision with respect to the wireless carriers to whom the rules apply, particularly for "covered Special Mobile Radios (SMRs)."

3. Five petitioners raise issues concerning the E911 Phase I requirements that covered carriers must provide call back numbers and cell site location information, and six petitioners challenge the adoption of the E911 Phase II requirements of Automatic Location Identification (ALI). With regard to other policy issues, six petitioners request the Commission to reconsider its decision not to provide Federal limitation of liability with respect to actions taken by carriers in efforts to comply with E911 requirements, and five petitioners seek reconsideration of the Commission's decision not to establish a Federal funding mechanism for the recoupment of carrier costs associated with achieving compliance with E911 requirements.

4. Following the initial round of comments on the petitions, two additional rounds of comments were requested by the Wireless Telecommunications Bureau to supplement the record. The first concerned technical issues regarding the transmission and screening of 911 calls.⁴ The

¹ In the Matter of Revision of the Commission's Rules to Ensure Compatibility with Enhanced 911 Emergency Calling Systems, CC Docket No. 94-102, Report and Order and Further Notice of Proposed Rulemaking, 11 FCC Rcd 18676 (1996) (*E911 First Report and Order* and *E911 Second NPRM*).

² The list of pleadings is included in Appendix A. Abbreviations used in this Order in citing to pleadings also are included in Appendix A.

³ The text telephone, also referred to as the TTY, was developed by a deaf physicist in the mid-1960s from existing teletype technology. Use of the TTY network has become widespread in the deaf community because the technology, although old and slow, is dependable and works well in a voice environment. *See* <http://tap.gallaudet.edu/faq2.htm>. For further discussion regarding TTY, see Section III.B, *infra*.

⁴ *See* Public Notice, Additional Comment Sought: Commission Seeks Additional Comment in Wireless Enhanced 911 Rulemaking Proceeding Regarding *Ex Parte* Presentations on Certain Technical Issues, CC Docket No. 94-102, DA 97-1502, released July 16, 1997 (July 16 Public Notice).

second concerned proposals contained in a joint *ex parte* letter from representatives of the wireless industry and the public safety community to resolve or defer consideration of various issues raised on reconsideration.⁵

5. In this Memorandum Opinion and Order, pursuant to Section 1.429 of the Commission's Rules,⁶ we decide (1) to modify our rules by requiring wireless carriers to transmit all 911 calls without regard to validation procedures and regardless of code identification; (2) to temporarily suspend enforcement of the requirement that wireless carriers provide 911 access to customers using TTY devices until October 1, 1998, but only for digital systems and subject to a notification requirement; (3) to modify the definition of "covered SMR" for E911 purposes to include only providers of real-time two-way interconnected voice service the networks of which utilize intelligent switching capability and offer seamless handoff to customers, and to extend this definition to broadband Personal Communications Services (PCS) and cellular as well as SMR providers; and (4) to clarify the Phase I requirement for call back numbers and modify associated rule definitions. We also reemphasize that our rules are intended to be technology-neutral, and to encourage the most efficient and effective technologies to report the location of wireless handsets, the most important E911 feature both for those seeking help in emergencies and for the public safety organizations that respond to emergency calls.

6. The limited revisions to our rules we adopt today are intended to remedy technical problems raised in the record while otherwise reaffirming our commitment to the rapid implementation of the technologies needed to bring emergency assistance to wireless callers throughout the United States.

II. BACKGROUND

A. E911 First Report and Order

7. The *E911 First Report and Order* was the culmination of extensive efforts by the public safety community, the wireless telecommunications industry, and the Commission to implement E911 for wireless services.⁷ In addition to over 110 comments and reply comments on the *E911 Notice*, the record included a Petition for Rulemaking filed by Ad Hoc Alliance for Public

⁵ See CTIA, PCIA, APCO, NENA, and NASNA *Ex Parte* Letter (filed Sept. 25, 1997) (Joint Letter); *see also* Public Notice, "Additional Comment Sought in Wireless Enhanced 911 Reconsideration Proceeding Regarding Rules and Schedules," CC Docket No. 94-102, DA 97-2151, released Oct. 3, 1997 (October 3 Public Notice).

⁶ See Section 1.429(b) of the Commission's Rules, 47 C.F.R. • 1.429(b).

⁷ The Commission began this rulemaking by issuing a Notice of Proposed Rulemaking on October 19, 1994. Revision of the Commission's Rules to Ensure Compatibility with Enhanced 911 Emergency Calling Systems, CC Docket 94-102, RM-8143, Notice of Proposed Rulemaking, 9 FCC Rcd 6170 (1994) (*E911 Notice*).

Access to 911 (Alliance)⁸ and a Consensus Agreement filed by the Cellular Telecommunications Industry Association (CTIA) and three national public safety organizations • the Association of Public-Safety Communications Officials International, Inc. (APCO), the National Emergency Number Association (NENA), and the National Association of State Nine One One Administrators (NASNA).⁹

8. In adopting the *E911 First Report and Order*, the Commission recognized the importance of improving the quality and reliability of 911 services available to wireless callers. Although 911 was originally developed for wireline telephone users, the number of wireless 911 calls is growing rapidly, paralleling the dramatic increase in wireless telephone subscribers in the United States, currently more than 50 million.¹⁰ According to CTIA, more than 21 million emergency wireless calls were placed in 1996 in the United States.¹¹ This amounts to more than 59,000 wireless 911 calls each day. Unlike wireline E911 systems, which allow automatic number identification and automatic location identification of wireline 911 calls, however, the phone number and the location of the caller cannot be displayed at the Public Safety Answering Point (PSAP) for wireless calls and many wireless 911 callers have difficulty describing their exact location to emergency assistance providers.

9. In the *E911 First Report and Order*, therefore, the Commission established the following requirements for wireless carriers, including cellular, broadband Personal Communications Service (PCS), and certain SMRs:

Basic 911 Capabilities

- Within 12 months after the effective date of E911 rules (*i.e.*, by October 1, 1997), carriers

⁸ On October 27, 1995, Alliance filed a Petition for Rulemaking requesting that 911 access be provided to any cellular phone, regardless of whether it is listed as a cellular carrier's subscriber, and that mobile handsets be equipped to select and use the channel with the strongest cellular signal whenever a 911 call is placed. Eight comments and one reply comment were filed. *See E911 First Report and Order*, 11 FCC Rcd at 18687 (para. 20).

⁹ On February 23, 1996, the Commission sought comment regarding the Consensus Agreement, and 17 comments and 14 reply comments were filed. *Id.* at 18688 (para. 22).

¹⁰ CTIA announced that the number of wireless telephone subscribers would reach 50 million for the first time during the week of July 27 - August 2, 1997. "July 27 - August 2: U.S. will reach 50 million wireless phone subscribers," CTIA News Release, July 21, 1997. This represents a 19 percent penetration rate; total United States population is 260 million. *See also* Electronic Buyers News, June 23, 1997, at 1; Implementation of Section 6002(b) of the Omnibus Budget Reconciliation Act of 1993, Annual Report and Analysis of Competitive Market Conditions With Respect to Commercial Mobile Services, Second Report, FCC 97-75, 12 FCC Rcd 11267 (1997).

¹¹ *See* "Wireless Phones Used for over 59,000 Emergency Calls Every Day," CTIA News Release, May 20, 1997.

must process and transmit to an appropriate PSAP all 911 calls from wireless handsets which transmit a code identification, without user validation.¹²

- By this date, carriers must also process and transmit calls that do not transmit a code identification to any appropriate PSAP which has formally instructed the carrier that it desires to receive such calls from the carrier.
- By this date, carriers must also be capable of transmitting 911 calls made by persons with disabilities, *e.g.*, through use of TTY equipment.

Enhanced 911 Capabilities

Phase I:

- Within 12 months of the effective date of the rules (*i.e.*, by October 1, 1997), carriers must have initiated actions necessary to relay a caller's Automatic Number Identification (ANI) and the location of the cell site receiving a 911 call. These capabilities are designed to allow the PSAP to call back the phone placing the 911 call if disconnected, and help identify the location of the caller.
- Within 18 months (*i.e.*, by April 1, 1998) the carriers must have completed these actions.

Phase II:

- Not later than five years after the effective date of the rules (*i.e.*, by October 1, 2001), carriers are required to have the capability to identify the latitude and longitude of the mobile units making 911 calls within a radius of no more than 125 meters, using Root Mean Square calculations (which roughly equate to success rates of approximately 67 percent).

Phase I and Phase II E911 Conditions:

- The E911 requirements apply only if:
 - (1) the carrier receives a request for such services from a PSAP capable of receiving and using the service, and
 - (2) a mechanism for the recovery of costs relating to the provision of such services is in place.

¹² The definition of the terms "code identification" and "user validation" are discussed in Section III.A., *infra*.

B. Ex Parte Filings, Stay Order, and Additional Comments

10. After the close of the formal pleading cycle for reconsideration petitions, several parties filed *ex parte* presentations in this proceeding.¹³ In light of technical issues raised by a number of parties in their *ex parte* presentations, a Public Notice was issued by the Wireless Telecommunications Bureau on July 16, 1997, seeking additional comment regarding certain technical issues pertaining to the 911 availability requirements established in the *E911 First Report and Order*.¹⁴ On July 28, 1997, twelve additional comments were filed in response to the July 16 Public Notice.¹⁵ The Wireless E911 Coalition (Coalition) also filed *ex parte* presentations and a formal petition, requesting an extension of at least 18 months (in the case of digital systems) of the deadline for achieving compliance with TTY compatibility requirements.¹⁶ On September 16, 1997, the National Association of the Deaf (NAD) and Consumers Action Network (CAN) jointly filed their opposition to the Coalition's request for extension.¹⁷

11. On September 25, 1997, CTIA, PCIA, APCO, NENA, and NASNA jointly filed an *ex parte* letter, proposing their consensus recommendations to the Commission.¹⁸ In the Joint Letter, the parties request the Commission (1) to revise Section 20.18(b) of its Rules to require carriers to "process all successfully validated 911 wireless calls and to process all 911 wireless calls where requested by the 911 authority"; (2) to amend Section 20.18(b) to reflect that the exercise of PSAP choice regarding receipt of all 911 calls or only successfully validated 911 calls "may not be possible until the Phase II location technology is in place"; (3) to extend the TTY implementation deadline in Section 20.18(c) of the Commission's Rules with respect to digital systems for 18 months until April 1, 1999; and (4) to defer any Commission decisions regarding "carrier liability, certain call-back capabilities, strongest signal technology, the use of temporary call-back numbers, and the status of uninitialized phones" until the relevant parties develop consensus positions.¹⁹ Congresswoman Eshoo and Alliance filed *ex parte* letters opposing the

¹³ See, e.g., Wireless E911 Coalition *Ex Parte* Filings (Apr. 22, 1997; June 2, 1997; June 18, 1997). The Wireless E911 Coalition consists of the following parties: Bell Atlantic NYNEX Mobile, BellSouth, Ericsson, Motorola, Nortel, Nokia, Omnipoint, Pacific Bell Mobile Services, PrimeCo, PCIA, and Siemens.

¹⁴ July 16 Public Notice.

¹⁵ The list of comments filed in response to the July 16 Public Notice is included in Appendix A.

¹⁶ See, e.g., Wireless E911 Coalition *Ex Parte* Filing (June 4, 1997); Wireless E911 Coalition and PCIA, Request for Extension of Time To Implement E911/TTY Compatibility Requirement for Wireless Operators (filed Aug. 27, 1997).

¹⁷ NAD and CAN Opposition to Request for Extension of Eighteen Months To Implement E911/TTY Compatibility Requirement for Wireless Operators (filed Sept. 16, 1997) (NAD and CAN Opposition).

¹⁸ Joint Letter.

¹⁹ *Id.* at 2-4.

proposals.²⁰

12. Because the Commission had not completed its review of pending petitions for reconsideration, and in light of a number of *ex parte* filings recently made in this proceeding, on September 30, 1997, an Order was issued by the Wireless Telecommunications Bureau, pursuant to its delegated authority, to stay the October 1, 1997 implementation date for subsections (a), (b), and (c) of Section 20.18 of the Commission's Rules through November 30, 1997.²¹ Subsequently, on October 3, 1997, a Public Notice was issued by the Bureau seeking further comment concerning issues raised in the Joint Letter.²² Twelve comments and five reply comments were filed in response to the October 3 Public Notice.²³ On November 20, 1997, CTIA, PCIA, NAD, CAN, Telecommunications for the Deaf, Inc. (TDI), and Gallaudet University filed a consensus *ex parte* letter, proposing a 15-month extension of the TTY compatibility requirement deadline until January 1, 1999.²⁴ In the TTY Consensus Agreement, PCIA agrees to amend its initial request for an 18-month extension of time, and NAD and CAN also agree to withdraw their opposition to PCIA's extension request.²⁵

III. DISCUSSION

A. 911 Availability Without Customer Validation

1. Background, Petitions and Further Pleadings

13. In the *E911 Notice*, the Commission proposed requiring wireless carriers to transmit

²⁰ See Letter from Congresswoman A. Eshoo, U. S. House of Representatives, to Chairman R. Hundt, FCC, Sept. 29, 1997 (Eshoo Letter); Alliance *Ex Parte* Filing (Sept. 30, 1997).

²¹ See Revision of the Commission's Rules To Ensure Compatibility with Enhanced 911 Emergency Calling Systems, CC Docket No. 94-102, Order, DA 97-2119 (released Sept. 30, 1997) (*Stay Order*). A subsequent Order was issued by the Wireless Telecommunications Bureau, pursuant to its delegated authority, to clarify the rights and obligations of wireless carriers until the revised rules adopted by the Commission take effect. See Revision of the Commission's Rules To Ensure Compatibility with Enhanced 911 Emergency Calling Systems, CC Docket No. 94-102, Order, DA 97-2530 (released Dec. 1, 1997).

²² October 3 Public Notice.

²³ The list of comments and reply comments filed in response to the October 3 Public Notice is included in Appendix A.

²⁴ See Consensus of the CTIA, PCIA, NAD, TDI, Gallaudet University and CAN (filed Nov. 20, 1997) (TTY Consensus Agreement).

²⁵ TTY Consensus Agreement at 1.

all 911 calls from *service initialized* handsets without a requirement for user validation.²⁶ "Service initialization" means that a user is purchasing service from a wireless carrier. In the *E911 First Report and Order*, the Commission decided this approach would unreasonably prevent a significant number of wireless customers from accessing 911 service and would result in customer confusion.²⁷

14. To address this situation, the Commission required transmission of 911 calls from all handsets which transmit "code identifications," so long as the handset is compatible with the carrier's air interface protocol. "Code identification" was defined in Section 20.3 of the Rules to mean a handset that transmits the 34-bit Mobile Identification Number (MIN) typically used by cellular or PCS licensees, or the functional equivalent of a MIN in the case of SMR services.²⁸ The Commission recognized that this approach could result in the delivery to PSAPs of 911 calls made by non-subscribers, but concluded the public interest would be best served by assuring that all code-identified 911 calls are transmitted without the delay and blocking that may result from the validation processes used to determine whether a handset is in service with a wireless carrier.²⁹

15. In addition, the Commission required that carriers transmit all 911 calls, even those without code identification, if requested to do so by a PSAP Administrator. We recognized a strong case in favor of transmitting all 911 calls, but also acknowledged disadvantages to transmitting 911 calls without a code identification. These include the fact that ANI and call back features may not be available or usable, and hoax and false alarm calls might be facilitated. We concluded, however, that each public safety organization is in the best position to determine for itself whether to accept calls without code identification. Further, we concluded that this requirement would not impose an unfair regulatory burden on wireless providers relative to wireline carriers. The Commission noted that major wireless carriers already process 911 calls without validation, and reasoned that users of public pay phones, the closest wireline analogy to a wireless handset, are able to place 911 calls without charge in many states as a result of state and local government requirements.³⁰

16. In pleadings filed during the formal reconsideration pleading cycle, thirteen of the sixteen petitioners, primarily wireless carriers, urge the Commission to reconsider its rules governing the transmission of 911 calls to PSAPs.³¹ In their petitions, some carriers support the

²⁶ *E911 Notice*, 9 FCC Rcd at 6177 (para. 41).

²⁷ *E911 First Report and Order*, 11 FCC Rcd at 18692 (para. 30).

²⁸ Section 20.03 of the Commission's Rules, 47 C.F.R. • 20.03.

²⁹ *E911 Notice*, 11 FCC Rcd at 18694 (para. 36).

³⁰ *Id.* at 18695-96 (paras. 37-39).

³¹ *See generally*, e.g., Ameritech Petition; AT&T Petition; BANM Petition; BellSouth Petition; CTIA Petition;

original proposal to require transmission only of calls from service initialized phones.³² CTIA, for example, proposes that carriers be permitted to validate and block calls from non-service initialized handsets when this can be done without a call processing delay.³³ In support, the carriers claim that in some cases the code identification would not be unique to the phone, for example when (1) a manufacturer programs its handsets with "dummy" MINs and the customer uses the handset directly "out of the box" after purchase *without* initiating service, or a customer terminates service and the number is reassigned; (2) the phone number is "cloned";³⁴ or (3) the handset is marketed and designed only for 911 use.³⁵ In these cases, parties assert, a code identification based on the MIN might not accurately identify the handset making the 911 call, and the PSAP might thus not be able to identify the handset and call back if disconnected, or might reach a different handset with the same MIN.³⁶

17. Some petitioners also reason that the rule would permit fraudulent and prank 911 calls that may endanger public safety personnel and promote errors and mistakes in rendering emergency services.³⁷ Others argue that consumers could obtain phones for use in emergencies without subscribing to service or supporting the facilities used for emergency service, which, the carriers argue, would drive up the price of service for subscribers and reduce revenues.³⁸ Carriers also raise a further technical concern regarding the Commission requirement that PSAPs be permitted to choose whether they want to receive 911 calls that have no code identification.³⁹ Some carriers argue that, in many cases, a switch routes calls to more than one PSAP, and that differentiating between PSAPs that want non-code identified calls and those that do not could

Nextel Petition; Nokia Petition; Omnipoint Petition; PCIA Petition; PrimeCo Petition; SBMS Petition; TIA Petition; XYPOINT Petition.

³² See, e.g., Ameritech Petition at 10; AT&T Petition at 4-6; BANM Petition at 3-4; CTIA Petition at 4; XYPOINT Petition at 5-6.

³³ CTIA Petition at 4.

³⁴ A cloned telephone is one that has been reprogrammed to transmit the identification (for a cellular phone, this is the electronic serial number (ESN) and the telephone number (MIN)) belonging to another (legitimate) telephone. A cloned telephone can then be used to make calls that will be billed to the subscriber of the legitimate telephone.

³⁵ See Ameritech Petition at 7-8; AT&T Petition at 5; CTIA Petition at 5-6; TIA Petition at 10-11.

³⁶ See, e.g., TIA Petition at 3-5.

³⁷ See, e.g., Ameritech Petition at 8; CTIA Petition at 7; PCIA Petition at 5.

³⁸ See, e.g., Ameritech Petition at 9-10.

³⁹ See, e.g., AT&T Petition 6; SBMS Petition at 4-6.

require complicated modifications in the switch software.⁴⁰

18. Nextel, an SMR provider, also supports requiring only that service-initialized calls be transmitted. It claims that (1) its digital SMR equipment can only be purchased in connection with SMR service, so the only unauthorized phones would be those stolen or otherwise illegally obtained; (2) handling all code-identified calls, not just service initialized calls, would require major upgrades to the switch and all mobile units; (3) the requirement would competitively disadvantage carriers using iDEN technology developed by Motorola; and (4) fraudulent 911 calls could not be traced.⁴¹ In its June 4, 1997 *ex parte* letter, Nextel also requests that the Commission delay the Section 20.18(b) implementation deadline for 911 availability for one year, citing the complexity of customer education, marketing, and billing.⁴² In comments filed on July 28, 1997, Nextel expands this to a request for a two-year delay.⁴³

19. On the other hand, public safety organizations and an alliance of consumer groups have opposed these petitions in pleadings filed in the formal reconsideration pleading cycle, supporting the Commission's current rules regarding the 911 calls that should be transmitted by carriers.⁴⁴ The Joint Comments of NENA, APCO, and NASNA indicate that some PSAPs prefer to receive all calls • even if the lack of code identification means that call back is not possible • while others believe non-code-identified calls should not be forwarded.⁴⁵ The latter view is based largely on the concern that hoax calls, made by persons intent upon disrupting 911 service, will increase as it becomes evident to potential perpetrators that PSAPs and wireless carriers are unable to trace calls placed from non-service initialized phones.⁴⁶ Alliance argues that the Commission should simply require all carriers to transmit all 911 calls to the PSAP without blocking, contending that prompt, unconditional connection of all 911 emergency calls is required by the public interest.⁴⁷ Alliance contends that many cellular carriers block emergency calls from non-subscribers and roamers whose carriers do not have roaming agreements.⁴⁸

⁴⁰ SBMS Petition at 4-6.

⁴¹ Nextel Petition at 4-6.

⁴² Nextel *Ex Parte* Filing at 5-7 (June 4, 1997).

⁴³ Nextel Additional Comments at 3-7.

⁴⁴ *See generally* Alliance Opposition; I-95 Coalition Opposition; Joint Commenters Opposition.

⁴⁵ Joint Commenters Opposition at 2-3.

⁴⁶ *Id.*

⁴⁷ Alliance Opposition at 6.

⁴⁸ *Id.* at 2-7.

20. In later *ex parte* presentations, the Wireless 911 Coalition presented further information to the Commission regarding the technical aspects of processing 911 calls.⁴⁹ According to the Coalition, wireless switch technology does not offer the choice of forwarding only code identified calls to PSAPs. The only available options are to (1) forward all calls, or (2) forward only service initialized calls that have been successfully validated.⁵⁰ On July 16, 1997, the Wireless Telecommunications Bureau requested further information on this issue and requested comments on the information submitted by the Coalition, as well as by Alliance and GTE.⁵¹ Additional comments in response to the July 16 Public Notice generally agree with the Coalition that the Commission's 911 rules based on "code identification" are not technically feasible at this time.⁵² Some commenters argue that the Commission should revise its rules that require covered carriers to transmit non-code identified 911 calls based on PSAP choice or delay implementation of the rules.⁵³ Public safety organizations and other commenters, however, urge the Commission not to defer implementation of the E911 rules or modify its policy goals.⁵⁴

21. The Joint Letter, submitted on September 25, 1997, also proposes that the Commission eliminate the definition of "code identification" and change its rules to distinguish between "all wireless 911 calls" and "successfully validated wireless 911 calls."⁵⁵ The parties filing the Joint Letter propose that licensees be required to process only successfully validated 911 calls except in cases in which PSAPs have requested the receipt of all 911 calls.⁵⁶ In addition, the Joint Letter requests that Section 20.18(b) be amended further to reflect that the choice of a PSAP authority to receive all wireless 911 calls or only successfully validated 911 wireless calls

⁴⁹ See Wireless E911 Coalition *Ex Parte* Filings (Apr. 22, 1997; June 4, 1997; June 18, 1997).

⁵⁰ Wireless E911 Coalition *Ex Parte* Filing (June 4, 1997).

⁵¹ See July 16 Public Notice.

⁵² See, e.g., AirTouch Additional Comments at 2-3; AT&T Additional Comments at 1; BANM Additional Comments at 2; CTIA Additional Comments at 7-8; SBMS Additional Comments at 3-5; 360° Communications Additional Comments at 1.

⁵³ See, e.g., AirTouch Additional Comments at 5; AT&T Additional Comments at 3; BANM Additional Comments at 1-2; CTIA Additional Comments at 1; Nextel Additional Comments at 3-7; RCA Additional Comments at 4.

⁵⁴ See, e.g., APCO Additional Comments at 1-2; NENA Additional Comments at 3; XYPOINT Additional Comments at 1-3; MULOCK Additional Comments at 1-2.

⁵⁵ Joint Letter at 3.

⁵⁶ *Id.*

may not be possible until Phase II location technology is in place.⁵⁷ The Joint Letter, however, further requests that the Commission's rules not preclude carriers who choose not to perform validation from passing all wireless 911 calls.⁵⁸

22. In response to the Joint Letter, Congresswoman Eshoo reiterates her position that "it is in the public's best interest that all wireless 911 calls should be passed through to the public safety authority."⁵⁹ Alliance also filed an *ex parte* presentation, urging the Commission to deny the proposals made in the Joint Letter.⁶⁰ Alliance argues that the Joint Letter's proposed redefinition of terms is "a transparent effort by certain wireless carriers to restore the practice of blocking emergency calls."⁶¹ In addition, because Alliance believes that the Joint Letter suggests that the public safety community is now willing to accept all 911 calls from carriers who choose to send them, Alliance contends that there is no reason why all carriers should not be required to send all 911 calls.⁶² Alliance thus urges that requiring carriers to process all 911 calls is the obvious and best solution to end the efforts by the wireless industry to reinstate blocking of emergency calls.⁶³

23. Commenters responding to the October 3 Public Notice generally support the proposals made in the Joint Letter. For example, most parties agree with the Joint Letter's proposal to eliminate the distinction based on "code identification" and to differentiate between "successfully validated wireless 911 calls" and "all wireless 911 calls."⁶⁴ Commenters also generally support the Joint Letter's proposal to defer the PSAP-by-PSAP choice to receive "all wireless 911 calls" or "only successfully validated 911 calls" until Phase II location technology is in place.⁶⁵

⁵⁷ *Id.*

⁵⁸ *Id.*

⁵⁹ Eshoo Letter (Sept. 29, 1997).

⁶⁰ Alliance *Ex Parte* Filing (Sept. 30, 1997).

⁶¹ *Id.* at 1-2.

⁶² *Id.* at 2.

⁶³ *Id.* at 2-3.

⁶⁴ *See, e.g.*, AirTouch Further Comments at 2-3; AT&T Further Comments at 1-2; BellSouth Further Comments at 2; GTE Further Comments at 2; PrimeCo Further Comments at 2.

⁶⁵ *See, e.g.*, AirTouch Further Comments at 1-2; AT&T Further Comments at 2; BellSouth Further Comments at 2; GTE Further Comments at 2.

24. In response to the concern voiced by Congresswoman Eshoo and Alliance that the Joint Letter's proposals are intended to block certain wireless 911 calls, CTIA and PCIA, in their further comments, state that this is not the intent of the proposed amendment.⁶⁶ CTIA, for example, clarifies that carriers and public safety organizations are not suggesting that only validated 911 calls be completed, to the exclusion of calls from non-initialized phones or calls from subscribers without valid roaming agreements. Rather, according to CTIA, "the proposal attempts to capture more accurately the type of calls that the 911 authorities may choose from • *i.e.*, all wireless 911 calls and successfully validated 911 calls."⁶⁷ Sprint PCS also argues that the Joint Letter does not advocate that only successfully validated calls be processed or that carriers should not route all calls.⁶⁸ Rather, CTIA and other commenters claim that wireless carriers are prepared to deliver all wireless 911 calls to a requesting PSAP as long as the Commission recognizes that only calls that have been successfully validated will be transmitted with enhanced features (*i.e.*, call back and location).⁶⁹ Noting that the Joint Letter acknowledges that the architecture of certain systems will continue to route all calls, Sprint PCS states that its system is currently structured to pass all calls and provide call back numbers for most of these calls.⁷⁰

2. Discussion

25. Our decision in the *E911 First Report and Order* directing wireless carriers to forward all 911 calls without any user validation from handsets which transmit a code identification was intended to achieve important public safety goals. User validation procedures can be long and cumbersome, sometimes requiring the caller to supply credit card information. The resulting delay in completing a call can be lengthy and errors can occur. Applying these procedures in emergencies could thus cause a dangerous deferral or interruption of the 911 assistance process and, effectively, the denial of assistance in some cases. This could happen, for example, to subscribers of carriers with whom a servicing carrier does not have a roaming agreement. We also pointed out that the requirement could effectively place 911 calls beyond the reach of children and others in emergencies who lacked access to the information needed for validation.⁷¹ We concluded that the safety of lives and property in emergency situations should not hinge on

⁶⁶ CTIA Further Comments at 2-3; PCIA Further Comments at 3.

⁶⁷ CTIA Further Comments at 2-3.

⁶⁸ Sprint PCS Further Comments at 2.

⁶⁹ *See, e.g.*, CTIA Further Comments at 3; Sprint PCS Further Comments at 2; AT&T Further Reply Comments at 1.

⁷⁰ Sprint PCS Further Comments at 2.

⁷¹ *E911 First Report and Order*, 11 FCC Rcd at 18693 (para. 32).

whether a person could, for example, supply a valid credit card number.⁷²

26. To avoid these delays and impediments, we decided to require wireless service providers to transmit 911 calls from all handsets that transmit code identifications, such as the MIN code programmed into cellular and PCS handsets.⁷³ Forwarding calls with a code identification in the signal without validation would, we believed, serve several purposes. First, it would route calls to PSAPs with the minimum amount of delay, in order to permit the most rapid emergency response.⁷⁴ Second, it would ensure that virtually all subscribing customers • including roamers • will be able to place and complete 911 calls expeditiously in emergencies.⁷⁵ Finally, the presence of a code identification as a triggering factor might provide PSAPs with some basic information about the calling party, enabling PSAPs, in some cases, to call back the person seeking emergency assistance if the call is disconnected.⁷⁶ We specifically rejected proposals to subject 911 calls to validation in order to screen out calls from non-subscribers, concluding that the potential for delay would seriously compromise the public safety objectives of this proceeding.⁷⁷

27. At the same time, although we found a strong case for forwarding all calls, including those without code identifications, we were concerned that ANI and call back features might not be as usable, and hoax and false alarm calls might be facilitated.⁷⁸ Because public safety organizations are in the best position to determine whether acceptance of calls without code identification helps or hinders their efforts, we concluded that the choice of whether all 911 calls would be transmitted to the PSAP should reside with the public safety administrators.⁷⁹ The mechanism we adopted to accomplish this was to require covered carriers to transmit all 911 calls, including non-code identification calls, if requested by a PSAP.

28. Based upon our review of the record, it now appears that this approach is, at least for the present, unworkable. The *E911 First Report and Order* observed that wireless switches

⁷² *Id.* at 18694 (para. 34).

⁷³ *Id.* at 18692 (para. 29).

⁷⁴ *Id.* at 18694 (para. 34).

⁷⁵ *Id.* (para. 35).

⁷⁶ *Id.*

⁷⁷ *Id.* (para. 36).

⁷⁸ *Id.* at 18695-96 (paras. 37-38).

⁷⁹ *Id.* at 18696 (para. 38).

currently are technically unable to differentiate between subscribers and non-subscribers without validation procedures.⁸⁰ The record on reconsideration, in particular the information submitted in *ex parte* presentations in June and July 1997, the comments in response to our July 16, 1997 Public Notice, and the Joint Letter,⁸¹ demonstrates, however, that those switches also cannot presently differentiate between code identified and non-code identified handsets without applying those same validation procedures.⁸²

29. According to information supplied by wireless industry representatives, wireless switches can either (1) transmit all calls without validation; or (2) transmit only calls from handsets that have been validated to prove the callers are current customers in good standing, or (in roaming situations) are subject to roaming agreements with a serving carrier.⁸³ Forwarding *only* code identification calls *without* validation is apparently not technically possible at present. Efforts to develop and deploy a screening mechanism for code identified calls that would not cause delay or blockage of 911 calls, as the validation process does, would apparently be expensive and time consuming, according to this information.

30. The costs, delays, and administrative burdens of requiring wireless carriers to implement the "PSAP choice" approach taken in the *E911 First Report and Order* might also be substantial. A single wireless switch may serve areas with numerous PSAPs in different state and local jurisdictions with different procedures and approaches. While it may be possible to segment the switch to reflect PSAP choices, this appears to require complicated and expensive modifications to the software that could not be implemented for some time.⁸⁴ Alternatively, a rule

⁸⁰ See *id.* at 18694 (para. 36).

⁸¹ See Joint Letter at 2.

⁸² See Wireless E911 Coalition *Ex Parte* Filings (June 4, 1997; June 18, 1997; July 10, 1997); Alliance *Ex Parte* Filing (July 11, 1997); GTE *Ex Parte* Filing (July 7, 1997); see also AT&T Additional Comments at 1; BANM Additional Comments at 1-2; CTIA Additional Comments at 5; RCA Additional Comments at 2-3; SBMS Additional Comments at 6.

⁸³ See Wireless E911 Coalition *Ex Parte* Filings (June 4, 1997; July 10, 1997); GTE *Ex Parte* Filing (July 7, 1997); see also AT&T Additional Comments at 1; BANM Additional Comments at 1-2; CTIA Additional Comments at 5; RCA Additional Comments at 2-3; SBMS Additional Comments at 6. See also Joint Letter at 2 ("Whether a . . . 'code identification' is transmitted [by a carrier] will be meaningless in determining what type of information can be passed to a PSAP.").

⁸⁴ See, e.g., SBMS Petition at 4-6; Wireless E911 Coalition *Ex Parte* Filing at 11 (July 10, 1997); GTE *Ex Parte* Filing (July 7, 1997). See also Joint Letter at 3 ("The Commission . . . must recognize that particular Public Safety authorities may not be able to choose on an individual basis the types of calls they will receive (*i.e.*, all calls or only successfully validated calls) until Phase II location technology is in place. . . . Furthermore, the parties agree that even when Phase II location technology is in place, calls may be identified with an inappropriate PSAP.").

that required all PSAPs in an area to reach a consensus could be problematic to administer, especially in light of the varying switch coverage areas of the several competing wireless carriers. In sum, the problems presented by requiring wireless carriers to implement code identification screening based upon PSAP choices at present appear substantial.

31. At the same time, we recognize that there are certain limitations on the benefits of code identification screening to PSAPs. The fact that a handset is code-identified does not mean its user may be reliably called back in the event of disconnection. For some technologies, the MIN code is not a dialable number and the handset can be reached only if it is in service. Even if the code is a dialable number, that number might not permit call back or deter prank calls or false alarms. Lost, stolen, and cloned phones may transmit valid codes. Codes from handsets whose owners no longer maintain service may be reissued, so that the transmitted code may be ambiguous, duplicating the in-service code of another handset.⁸⁵ For these categories of code identified handsets, PSAPs may be unable to call back reliably if disconnected, or to prevent or trace prank or false alarm calls. Moreover, the goal of deterring prank and false alarm calls and apprehending the callers is likely to be better served by the scheduled deployment of more accurate caller location information pursuant to the Phase II requirements established in the *E911 First Report and Order*. This technology will provide information on the location of handsets being used to make prank or false alarm calls.

32. In addition, from a caller's perspective, the distinction between code identified and non-code identified handsets would be difficult to explain and understand, as would the fact that this distinction would be crucial to completing 911 calls in some locations, but meaningless in others, depending on PSAP choice. In some cases, call completion could also depend on the vagaries of radio transmission and network management, because wireless calls are not necessarily received by the nearest cell site. A call from a non-code identified handset might be routed to a PSAP that would accept it one day, and to another that would decline to receive it the next. The end result could be unnecessary consumer confusion about wireless 911 service and added risks that help will not arrive promptly, if at all, in response to an emergency call.

33. Based upon this record, it appears that the technically feasible and most practical options are to forward either *all* 911 calls, or *only* those that have been validated. This is in fact the position of many in the wireless industry.⁸⁶ Given this choice, we find that the public interest would clearly be better served by requiring covered carriers to forward all 911 calls. As we noted in the *E911 First Report and Order*, one of the Commission's statutory mandates under the

⁸⁵ While MIN is only part of the information used to determine the uniqueness of a mobile unit (*e.g.*, Electronic Serial Numbers and Mobile Station Identifiers are also used in the validation process), it is the only information supplied to a PSAP and used in the establishment of the dialable number of the unit for call back purposes.

⁸⁶ See Joint Letter at 3; Wireless E911 Coalition *Ex Parte Filing* (June 4, 1997); see also SBMS Additional Comments at 10; 360⁰ Communications Additional Comments at 1.

Communications Act is ``promoting safety of life and property through the use of wire and radio communication."⁸⁷

34. We have already discussed many of the reasons why the validation process would unnecessarily delay or defeat the dispatch of help in emergencies, here and in the *E911 First Report and Order*. Roamers whose home carrier happened not to have a service agreement with a carrier in whose service area the call is placed would be most obviously affected. Applying the validation process to this important class of customers would, at a minimum, delay delivery of emergency 911 calls and, in some cases, block them. In addition, we are not persuaded by arguments that only current validated customers, including roamers with a roaming agreement, should be allowed to complete wireless 911 calls. We continue to believe that the public safety will be promoted more effectively if all potential 911 calls are passed through to the PSAP regardless of whether they are made by subscribers. Many wireless 911 calls are from ``Good Samaritans" reporting traffic accidents and similar emergencies. Making it easier for individuals to report such emergencies thus primarily benefits the public and serves the public interest, not simply the interests of the caller.⁸⁸

35. The fact that many wireless carriers currently transmit all 911 calls without validation⁸⁹ undercuts arguments that customers would no longer purchase service because they could reach 911 operators without subscribing to any wireless service. Certainly customers value many capabilities of wireless telephony besides the ability to dial 911 in an emergency. The suggestion that consumers who might use non-service initialized phones may drive up the price of service for customers is also doubtful. Emergency calls are a small fraction of total traffic. In addition, the costs of wireless E911 may be recovered in various ways, subject to state and local programs. We also remain unconvinced that a requirement that emergency calls be transmitted imposes an unfair regulatory burden on wireless carriers as compared to wireline carriers.⁹⁰ Overall, we conclude that the clear, concrete benefits of continuing to make it easy and quick to call for help in an emergency outweigh what appear to be largely speculative disadvantages and concerns. We also believe that the current praiseworthy practice of many wireless carriers, who already forward all 911 calls, should be endorsed and not eroded.

36. The Joint Letter proposes rule changes to recognize that particular public safety authorities may not be able to choose on an individual basis the types of calls they receive, for

⁸⁷ See 11 FCC Rcd at 18681 (para. 8); Section 1 of the Communications Act, 47 U.S.C. • 151.

⁸⁸ As we have noted, this approach promotes the goals of the Communications Act. See 47 U.S.C. • 151.

⁸⁹ See, e.g., Wireless E911 Coalition *Ex Parte* Filing at 2 (July 10, 1997).

⁹⁰ For example, the State of California requires that all wireline residential telephone lines should be connected with access to 911 emergency service regardless of whether an account has been established. CAL. PUB. UTIL. CODE • 2883.

example where a carrier's switch serves multiple PSAPs, until Phase II location technology is in place.⁹¹ It is unclear what costs would be incurred in implementing PSAP choice even under Phase II or how effective it would be. The parties to the Joint Letter agree that, even under Phase II, calls may be identified with an inappropriate PSAP.⁹² Under these circumstances, we believe it is at best premature to impose the obligation of implementing PSAP choice on the carriers. While there may be some benefit to requiring that wireless carriers screen and block calls on behalf of the PSAPs, in order to deter and prevent hoax 911 calls, the extent of the benefits and the costs that would be incurred are uncertain. Rather than imposing this requirement on the wireless carriers on the current record, we find it preferable to simply require carriers to transmit all 911 calls to the appropriate PSAPs.

37. We also are not convinced that requiring wireless carriers to forward all 911 calls precludes PSAP efforts to implement call back and guard against fraudulent 911 calls. Our rules apply to wireless carriers, not PSAPs, which can administer their own operations and decide how to manage incoming calls. PSAPs should, for example, receive call information that will allow them to screen out or identify many types of fraudulent calls or those where call back is not possible. Also, there is a dispute in the record concerning whether call back can be achieved for handsets that are not service initialized through the use of the "Follow-Me-Roaming"⁹³ process, which, if proven to be the case, might mitigate some concerns within the public safety community.⁹⁴

38. The option suggested by CTIA of allowing validation where it can be done without a call processing delay does not appear to be feasible for existing equipment, as the Commission pointed out in the *E911 First Report and Order* and parties such as SBMS and the Wireless Coalition affirm in their comments and other submissions. Even if it were feasible, the public safety would be better served by ensuring that all 911 calls are passed through promptly to the PSAP regardless of whether the caller is a subscriber. Moreover, CTIA itself no longer appears to support this approach. In the Joint Letter that it signed and in its further comments, CTIA supports transmitting all calls to the PSAP, if the PSAP so chooses.⁹⁵ While we would not lightly

⁹¹ Joint Letter at 3.

⁹² *Id.*

⁹³ According to Alliance, the "Follow-Me-Roaming" process uses a pseudo-ANI to uniquely identify a non-local handset's code identification with a temporary, dialable "local" telephone number. Calls directed to the handset are routed using this number. See Alliance Comments on Further NPRM, Attachment E at 2.

⁹⁴ See Alliance Opposition at 8-9; Alliance *Ex Parte* Filing at 2 (July 11, 1997); *contra* AirTouch Additional Comments at 7; AT&T Additional Comments at 2; BANM Additional Comments at 5-6; CTIA Additional Comments at 6-7; NENA Additional Comments at 4-5; SBMS Additional Comments at 3; 360° Communications Additional Comments at 2.

⁹⁵ See Joint Letter at 3; see also CTIA Further Comments at 2-3.

dismiss proposals that present an effective way to screen 911 calls and better meet the wishes of PSAPs, we would also want to be assured that the end result would improve public safety for all users, not just subscribers.

39. A requirement that covered carriers transmit all 911 calls also should be feasible for covered SMR services provided by carriers such as Nextel. The transmission of all calls should not require the major switch upgrades Nextel claims would be needed to implement code identification screening or PSAP choice. It should also not disadvantage any particular technology. As we discuss below,⁹⁶ this does not mean that 911 calls from handsets that have never been placed in service will be transmitted, but customers who purchase an SMR handset and service, but later discontinue service, will be able to dial 911 and reach a PSAP in an emergency.

40. We deny Nextel's request to delay further the implementation deadline for Section 20.18(b) requirements to transmit 911 calls to PSAPs. Many carriers already transmit all 911 calls to PSAPs.⁹⁷ Moreover, in response to questions from Commission staff, wireless carriers generally agreed that no delay is necessary for the 911 availability requirements.⁹⁸ We thus find no need or justification for a further delay in the basic 911 implementation deadline. In the case of some SMR technologies, we note that the carrier does not recognize the handset until it has been programmed with a code at the time service is started. For these technologies, we clarify that we consider handsets that have not been placed in service to be incompatible with the carrier's air interface protocol • such handsets thus are not subject to 911 requirements until they are programmed with a code. Otherwise the same obligations would apply. Thus, if the carrier has the ability to recognize a 911 call, the carrier is obligated to forward the call to the designated PSAP. For example, in the case of these SMR technologies, if a handset is placed in service and programmed with a code, the carrier would be obligated to transfer 911 calls from the handset even if it is no longer subscribed for service.

41. We also clarify, in response to a request by TIA, that we do not bar validation procedures that provide information to the PSAP, such as database lookups to associate a telephone directory number with a particular handset code identification, provided these procedures do not prevent or delay call completion.⁹⁹ In addition, because the definitions of

⁹⁶ See discussion at paras. 0-0, *infra*.

⁹⁷ See *E911 First Report and Order*, 11 FCC Rcd 18695 (para. 37) (GTE routes 911 calls to a PSAP regardless of whether the handset is service initialized); see also *Wireless E911 Coalition Ex Parte Filing* at 2 (July 10, 1997) (noting that many wireless carriers choose to pass all calls to the PSAP).

⁹⁸ See, e.g., *GTE Ex Parte Filing* (July 7, 1997); *Wireless E911 Coalition Ex Parte Filing* (July 10, 1997); *SBMS Additional Comments* at 8.

⁹⁹ See *TIA Petition* at 7-9.

``code identification" and ``mobile identification number" are no longer relevant, we are deleting them from our rules. This action moots concerns raised by TIA about these definitions.¹⁰⁰ Further, we clarify that switch functions that do not block or delay any 911 calls are not considered to be validation functions for purposes of 911 and E911 implementation.¹⁰¹

B. TTY Access to 911 Services

1. Background, Petitions and Further Pleadings

42. In the *E911 First Report and Order*, the Commission adopted rules requiring that, no later than 12 months after the effective date of the rules (*i.e.*, October 1, 1997), covered carriers ``must be capable of transmitting 911 calls from individuals with speech or hearing disabilities through means other than mobile radio handsets, *e.g.*, through the use of Text Telephone Devices."¹⁰² TTYs or TDDs are keyboard-like devices used by people with speech disabilities or hearing disabilities, or both, to communicate by telephone.¹⁰³ Title II of the Americans with Disabilities Act (ADA) requires non-discriminatory access to state and local government services, such as 911, for people with hearing or speech disabilities.¹⁰⁴ Pursuant to the ADA requirements, telephone emergency services, including 911 services, are required to provide direct access to individuals who use TDDs and computer modems, without relying on outside relay services or third party services.¹⁰⁵

43. Although the Commission mandated that TTY users should also benefit from E911 features, including ALI and ANI capabilities,¹⁰⁶ the Commission stated in the *E911 First Report and Order* that it would be prudent for the wireless industry, equipment manufacturers, PSAPs, and the disability community to determine the extent of issues pertaining to the provision of these

¹⁰⁰ See *id.* at 4-5.

¹⁰¹ See SBMS Additional Comments at 2.

¹⁰² *E911 First Report and Order*, 11 FCC Rcd at 18701 (para. 50).

¹⁰³ The terms TTY and TDD refer to ``telecommunications devices for the deaf." Pursuant to Section 64.601 of the Commission's Rules, Text Telephone (TT) now supersedes the term ``TDD." TT is defined as ``a machine that employs graphic communication in the transmission of coded signals through a wire or radio communication system." Section 64.601(8) of the Commission's Rules, 47 C.F.R. • 64.601(8).

¹⁰⁴ See 42 U.S.C. •• 12131-12134.

¹⁰⁵ 28 C.F.R. • 35.162; see also ADA Title II Assistance Manual II-7.3100, DOJ Civil Rights Division, Jan. 1993.

¹⁰⁶ Sections 20.18(d) and 20.18(e) of the Commission's Rules require covered carriers to provide Phase I and Phase II E911 features for 911 calls from TTY devices. 47 C.F.R. •• 20.18(d), 20.18(e).

E911 features for TTY calls and whether these issues might be resolved by agreements between the interested parties or by standards bodies.¹⁰⁷ The Commission also required that each of the signatories to the Consensus Agreement, the Personal Communications Industry Association (PCIA), and Telecommunications for the Deaf, Inc. (TDI) shall report to us jointly within one year after the effective date of the rules (*i.e.*, by October 1, 1997) regarding the status of the issues related to E911 features for TTY calls. The Commission indicated that it might initiate a further proceeding after additional information is obtained.¹⁰⁸

44. Pursuant to mandates of the Telecommunications Act of 1996,¹⁰⁹ the Commission is currently working on separate rulemaking proceedings to promote broad availability of telecommunications services for people with hearing and speech disabilities. For example, the Commission issued a Notice of Inquiry to implement Section 255 of the Communications Act, as added by the Telecommunications Act of 1996. Section 255 requires manufacturers of telecommunications equipment or providers of telecommunications services to ensure that their equipment or services are accessible and usable by individuals with disabilities, if readily achievable.¹¹⁰ In addition, under Section 225 of the Communications Act, the Commission is required to make Telecommunications Relay Services (TRS) available and, *inter alia*, assure that the use of existing technology does not discourage or impair the development of improved technology.¹¹¹

45. In their petitions for reconsideration, Omnipoint, PCIA, and TIA contend that the Commission should reconsider the TTY access requirements for digital mobile radio systems, because digital systems may not be compatible with TTY devices.¹¹² While all parties uniformly

¹⁰⁷ *E911 First Report and Order*, 11 FCC Rcd at 18702 (para. 52).

¹⁰⁸ *Id.* On September 23, 1997, CTIA filed an *ex parte* letter, indicating that they intended to file the Joint Status Report with the Commission on October 1, 1997. However, on October 1, 1997, CTIA requested an extension of time to file the Joint Status Report. See CTIA *Ex Parte* Filing (Sept. 23, 1997); CTIA *Ex Parte* Filing (Oct. 1, 1997).

¹⁰⁹ Pub. L. 104-104, 110 Stat. 56 (1996).

¹¹⁰ Section 255 of the Communications Act, 47 U.S.C. • 255. See also Implementation of Section 255 of the Telecommunications Act of 1996: Access to Telecommunications Services, Telecommunications Equipment, and Customer Premises Equipment by Persons with Disabilities, WT Docket No. 96-198, Notice of Inquiry, FCC 96-382, 11 FCC Rcd 19152 (1996) (*Section 255 NOI*).

¹¹¹ 47 U.S.C. • 225. See also 47 C.F.R. •• 64.601-604 (TRS has been available on a uniform, nationwide basis since July 26, 1993, and is required to be capable of communicating with ASCII and Baudot formats, at any speed generally in use); TRS, the ADA of 1990, and the Telecommunications Act of 1996, CC Docket No. 90-571, Notice of Inquiry, FCC 97-7, 12 FCC Rcd 1152 (1997) (seeking comments on the effectiveness of the current TRS program and new technologies and possible rule changes that could improve TRS).

¹¹² Omnipoint Petition at 8-15; PCIA Petition at 10-11; TIA Petition at 12-15.

support 911 access from TTY devices and agree that current devices are compatible with analog cellular technology, these petitioners claim that TTY compatibility with digital devices cannot be guaranteed and may not be achievable by the October 1, 1997 deadline established in the *E911 First Report and Order*.¹¹³

46. Omnipoint, for example, requests that the Commission modify its rule to reflect that carriers can satisfy their obligations through so-called "short-messaging service," and through analog TTY when reasonably feasible.¹¹⁴ PCIA argues that 911 access for TTYs should not be mandated until industry standards bodies have resolved certain technical issues, contending that two complex technical issues will not be resolved by the implementation date of the TTY access requirement: (1) the ability of digital wireless systems to transmit 300 baud modem tones required by older TTYs; and (2) the promulgation of different standards for digital and analog TTY devices because digital networks, unlike analog networks, distinguish between voice and data transmissions in order to implement such features as error detection and correction.¹¹⁵

47. In addition, TIA argues that modification of digital wireless systems to achieve a usable interface with TTY devices is not "readily achievable" within the meaning of Section 255 and would not encourage the development of improved technology, within the meaning of Section 225. Thus, TIA urges the Commission to provide flexibility in its regulations to implement TTY and digital wireless E911 compatibility through the use of functional equivalents and to defer TTY compatibility requirements until after standards have been developed and a reasonable implementation time frame can be discerned.¹¹⁶ Motorola agrees that the one-year time limit is not workable because standards must be developed and basic technical questions must be addressed.¹¹⁷

48. On the other hand, in their initial reply comments, the public safety community as well as the disability community urge the Commission to maintain the current TTY access

¹¹³ See, e.g., Omnipoint Petition at 9.

¹¹⁴ *Id.* at 8-9. Omnipoint suggests that the Commission revise Section 20.18(c) of its rules to read as follows:

As of [one year after the effective date of the rule] licensees subject to this section must be capable of transmitting 911 calls from individuals with speech or hearing disabilities through means other than normal speech over a mobile radio handset. Acceptable methods of demonstrating compliance with this requirement include handset keypad-originated text messages or data services compliant with international standards. To the extent feasible with the technology implemented by the operators, analog TTY service shall also be supported.

¹¹⁵ PCIA Petition at 10-11.

¹¹⁶ TIA Petition at 14-15.

¹¹⁷ Motorola Reply at 6-7.

requirements, contending that covered carriers have been on notice for more than two years of the possibility that the Commission would prescribe this rule, since the *E911 Notice* was issued in 1994.¹¹⁸ Joint Commenters and TX-ACSEC contend that Omnipoint's proposed modification of the TTY requirement leaves too much to the discretion of the carriers.¹¹⁹ NAD, representing people with hearing disabilities, urges that the Commission should not modify the TTY compatibility requirement.¹²⁰ CAN, a consumer group representing the disability community, also urges the Commission to encourage the industry to work quickly to resolve any outstanding technical issues, rather than allow the industry more time.¹²¹ Recognizing the importance of the availability of 911 service in an emergency, CAN contends that "E911 service through wireless services for hearing callers will improve safety for hearing callers. Deaf and hard of hearing callers deserve no less."¹²²

49. After the reconsideration petition comment cycle closed, in an *ex parte* filing dated June 4, 1997,¹²³ and in a formal petition dated August 27, 1997,¹²⁴ the Coalition requested an extension of the E911/TTY compatibility deadline of at least 18 months for digital systems. In the filing, they assert that ensuring compatibility for all digital wireless systems will be impossible by October 1, 1997. The ability of wireless operators to meet the E911/TTY compatibility requirement, they contend, is predicated on intensive and cooperative work by wireless device manufacturers, TTY manufacturers, and standards organizations. Further, according to the petitioners, although a number of projects are currently ongoing and a great deal has been accomplished, significant work remains to be done, including more research, coordinated efforts among manufacturers, resolution of standards and technical issues, and time to translate test results into recommendations for product changes and development. In response to the Coalition's request for extension, Nextel filed a motion in support of this request, stating that the wireless industry believes the appropriate system modifications are achievable, but cannot be accomplished by October 1, 1997.¹²⁵

¹¹⁸ See Joint Commenters Opposition at 5; TX-ACSEC Opposition at 10; CAN Comments at 1-3; NAD Reply at 2-4.

¹¹⁹ Joint Commenters Opposition at 5; TX-ACSEC Opposition at 10.

¹²⁰ NAD Reply at 2-4.

¹²¹ CAN Comments at 3.

¹²² *Id.* at 3-4.

¹²³ Wireless E911 Coalition *Ex Parte* Filing (June 4, 1997).

¹²⁴ Wireless E911 Coalition, Request for Extension of Time to Implement E911/TTY Compatibility Requirement for Wireless Operators (filed Aug. 27, 1997).

¹²⁵ Nextel Motion in Support of Request for Extension of Time to Implement E911/TTY Compatibility Requirements for Wireless Operators (filed Sept. 9, 1997).

50. On September 16, 1997, NAD and CAN jointly filed their Opposition to the Coalition's Request for extension.¹²⁶ In the Opposition, NAD and CAN claim that the Coalition's arguments cannot withstand scrutiny and do not provide sufficient justification for noncompliance with the deadline.¹²⁷ NAD and CAN urge the Commission not to dismiss the industry's failure to meet its compliance deadline lightly, contending that the industry has been aware of the TTY compatibility requirement since 1994.¹²⁸ Accordingly, NAD and CAN propose that the industry be granted a maximum of nine additional months, until July 1, 1998, to achieve compliance with the Commission's TTY compatibility requirement for wireless digital systems.¹²⁹ In addition, they request the Commission to direct the Coalition to submit reports every three months to the Commission, setting forth the research conducted and specific efforts undertaken to achieve E911/TTY wireless compatibility.¹³⁰ Finally, NAD and CAN urge the Commission to use available enforcement mechanisms, including fines, to ensure compliance with the E911 rules at the conclusion of the nine month extension.¹³¹

51. The September 25, 1997 Joint Letter urges the Commission to extend the TTY implementation deadline for digital wireless systems for 18 months, until April 1, 1999.¹³² Parties to the Joint Letter contend that, although solutions are being developed to address the interface issues of digital networks, an extension of time of 18 months is needed to accomplish implementation.¹³³ After the implementation of Section 20.18(c) was temporarily stayed until November 30, 1997, the October 3 Public Notice sought further comment on the Joint Letter's proposal to extend the TTY implementation date for 18 months. Commenters responding to the October 3 Public Notice support the proposal made in the Joint Letter regarding this issue, arguing that substantial work remains before digital wireless systems can be made available to

¹²⁶ NAD and CAN Opposition to Request for Extension of Eighteen Months to Implement E911/TTY Compatibility Requirement for Wireless Operators (filed Sept. 16, 1997).

¹²⁷ See NAD and CAN Opposition to Request at 2-5.

¹²⁸ *Id.* at 1-3.

¹²⁹ *Id.* at 4.

¹³⁰ *Id.* NAD and CAN also request that the Commission further direct the Coalition to confer directly with deaf and hard of hearing consumers, and organizations representing deaf and hard of hearing consumers, who have knowledge about telecommunications access issues and issues related to the problems with TTY usage.

¹³¹ *Id.* at 4-5.

¹³² Joint Letter at 4.

¹³³ *Id.*

TTY users.¹³⁴ However, TruePosition contends that it would disserve the public interest to delay wireless E911 implementation for consumers not using TTY wireless devices or for consumers using TTY devices in an analog environment.¹³⁵ Similarly, in its Joint Reply Comments, the public safety community clarifies that its intention in the Joint Letter was only to delay implementation of TTY requirements for digital wireless systems, not analog systems.¹³⁶

52. Based on the progress of the TTY Forum • which included participation by wireless industry groups, equipment manufacturers, and consumer groups representing individuals with hearing and speech disabilities¹³⁷ • the November 20, 1997 TTY Consensus Agreement proposes a 15-month extension for TTY compatibility requirements for wireless digital systems until January 1, 1999.¹³⁸ In the TTY Consensus Agreement, the parties agree that a 15-month extension will provide the Working Group of the TTY Forum with the time they require to develop and implement an effective work plan to deliver 911 services over digital wireless systems for TTY users.¹³⁹ The parties also suggest that an additional 3-month extension would be appropriate if the TTY Forum determines that it cannot complete the work plan by January 1, 1999, due to unresolved technical issues.¹⁴⁰ Moreover, the parties to the TTY Consensus Agreement propose to submit to the Chief of the Wireless Telecommunications Bureau a brief status report describing the progress of the TTY Forum every four months.¹⁴¹

2. Discussion

a. TTY Compatibility with Digital Wireless Systems

¹³⁴ See, e.g., AirTouch Further Comments at 3; AT&T Further Comments at 2-3; BellSouth Further Comments at 3; GTE Further Comments at 3; MCC Further Comments at 3-6; Nextel Further Comments at 4; PrimeCo Further Comments at 3; US West Further Comments at 3.

¹³⁵ TruePosition Further Comments at 3.

¹³⁶ Joint Reply Comments at 2.

¹³⁷ In September 1997, CTIA convened a meeting of wireless industry representatives, technical experts and consumer organizations to develop a consensus on how to support TTY technology over digital wireless systems. See, e.g., CTIA *Ex Parte* Filing (Sept. 23, 1997).

¹³⁸ See TTY Consensus Agreement at 1-2 (In accordance with the TTY Consensus Agreement, PCIA amends its initial request for an 18-month extension of time, and NAD and CAN also withdraw their opposition to PCIA's extension request).

¹³⁹ *Id.* at 1.

¹⁴⁰ *Id.*

¹⁴¹ *Id.*

53. E911 compatibility with TTY is a critical public safety need. We agree with CAN that people with hearing and speech disabilities who rely on TTYs to communicate are entitled to the same rapid and efficient access to help in emergencies as other Americans.¹⁴² Indeed, Title II of the ADA requires non-discriminatory access to state and local government services, such as 911, for people with speech and hearing disabilities.¹⁴³ We note that the large majority of wireless phones currently use analog technology, and, as noted above, such phones are compatible with TTYs. We also note, however, that digital phones offer additional choices and features which should be available to TTY users. Furthermore, we note that manufacturers and service providers are increasingly using digital technology.¹⁴⁴ We believe that this number will continue to increase significantly over the next few years. Thus, any delay in TTY compatibility for digital handsets and systems prevents people with hearing and speech disabilities from participating in the benefits of digital technology, and delay in assured TTY access to 911 also diminishes their safety in emergencies, as well as the safety of others for whom they might seek help.

54. Because the Commission had not completed its review of pending petitions for reconsideration and of a number of late *ex parte* filings regarding the TTY compatibility issues, the implementation deadline for the Section 20.18(c) TTY compatibility requirement was temporarily stayed from October 1, 1997 until November 30, 1997.¹⁴⁵ We are reluctant, however, to grant any additional extension of time for E911/TTY compatibility. We are particularly reluctant in view of the disappointing failure of the wireless industry to achieve compatibility for digital systems to date. The Commission adopted the *Wireless E911 Notice* in September 1994. As representatives of the disability community point out, wireless carriers have had substantial notice and time, approximately three years, to meet the October 1, 1997 deadline.¹⁴⁶ The wireless industry also offers little in the way of convincing justification for their failure to meet the deadline. A principal explanation offered by the Coalition in their request for additional time of at least 18 months is that there were "competing demands" upon the relevant personnel.¹⁴⁷ While the parties argue that they need more time to comply with the TTY requirement, we note that the

¹⁴² See CAN Comments at 3-4.

¹⁴³ See discussion at para. 0, *supra*.

¹⁴⁴ For example, while there were 2.6 million digital wireless handsets out of a total of 43.8 million wireless handsets, or approximately 6 percent, in 1996, projections for 1997 estimate the number of digital wireless handsets in use will be more than 10 percent of total wireless handsets. See, e.g., Donaldson, Lufkin & Jenrette, *The Wireless Communications Industry*, Spring 1997, at 55-56 (Tables 13A and 13B).

¹⁴⁵ *Stay Order* at 1-2.

¹⁴⁶ *Id.* at 3; NAD and CAN Opposition to Request at 1-3.

¹⁴⁷ Coalition Request for Extension of Time at 3; see also NAD and CAN Opposition to Request at 2-5.

TTY requirement proposal in the *E911 Notice* was based on the Joint Paper, filed by PCIA, APCO, NENA, and NASNA.¹⁴⁸ In addition, as we stated in the *E911 First Report and Order*, the parties to the Consensus Agreement agreed to meet the Commission's proposed TTY compatibility requirement.¹⁴⁹

55. The record, however, clearly indicates that it is currently not possible to provide digital wireless services to TTY users.¹⁵⁰ Consumer organizations representing individuals who are deaf and individuals with hearing and speech disabilities • NAD, CAN, TDI, and Gallaudet University • acknowledge that additional time is required to implement wireless digital solutions for TTY users.¹⁵¹ Despite our reluctance to delay the implementation deadline for TTY compatibility requirements, we agree with parties that the Commission must also recognize the present existence of technical barriers.¹⁵² We will therefore grant an extension of the deadline for digital wireless systems, subject to conditions that will ensure that the delay in TTY compatibility is as brief as possible.

56. The record reflects that, while it is currently feasible to transmit TTY calls through wireless analog systems, digital handsets and systems require different technical solutions. Digital wireless systems use vocoders that represent a mathematical model of the human vocal tract to efficiently reproduce the speech it produces. TTY signaling tones, in contrast, are not sounds typically produced by the vocal tract and vocoders may not reproduce them well. Industry standards bodies have been studying TTY compatibility issues, but to date have not established standards for interfaces between TTY and digital systems.¹⁵³ Omnipoint, for example, states in its

¹⁴⁸ APCO, NENA, NASNA, and PCIA filed "Emergency Access Position Paper," known as the "Joint Paper" in 1994. The Joint Paper presents the consensus recommendations to assist standards-setting bodies in developing appropriate standards for emergency access from wireless services system to 911 services. The parties to the Joint Paper proposed that the wireless systems should allow people with hearing and speech disabilities to access emergency services through means other than traditional wireless voice handsets. See Appendix D to *E911 Notice*.

¹⁴⁹ *E911 First Report and Order*, 11 FCC Rcd 18700 (para. 49) (citing Consensus Agreement at 4).

¹⁵⁰ See, e.g., CTIA *Ex Parte* Filing (Sept. 23, 1997); Joint Letter at 4; AirTouch Further Comments at 3; AT&T Further Comments at 2-3; BellSouth Further Comments at 3; GTE Further Comments at 3; MCC Further Comments at 3-6; Nextel Further Comments at 4; PrimeCo Further Comments at 3; US West Further Comments at 3; TTY Consensus Agreement.

¹⁵¹ TTY Consensus Agreement at 1.

¹⁵² See, e.g., MCC Further Comments at 5-6.

¹⁵³ See Wireless E911 Coalition *Ex Parte* Filing (June 4, 1997); CTIA *Ex Parte* Filing (Sept. 23, 1997); Joint Letter at 4; AirTouch Further Comments at 3; AT&T Further Comments at 2-3; BellSouth Further Comments at 3; GTE Further Comments at 3; MCC Further Comments at 3-6; Nextel Further Comments at 4; PrimeCo Further Comments at 3; US West Further Comments at 3.

petition that, while limited testing has shown that successful analog TTY communications are possible with the 13 kb/s "full rate" speech vocoder used in the PCS-1900 digital standard, the sub-8 kb/s vocoder used in IS-661 technology is currently *unable* to transmit TTY modem tones successfully.¹⁵⁴

57. Parties also contend that, while progress was made at the CTIA Forum on TTY compatibility issues, substantial work remains to be done before digital services can be made available to TTY users, and certainly before such service can be consistently error-free, standardized, and ubiquitous.¹⁵⁵ The parties to the TTY Consensus Agreement, for example, suggest that a 15-month extension is necessary to allow the Working Group of the TTY Forum sufficient time to develop and implement an effective work plan to deliver 911 services over digital wireless systems for TTY users.¹⁵⁶ Therefore, we determine that the record supports establishment of separate implementation dates for analog and digital systems, and that delay in the implementation date for digital systems is necessary.

58. Accordingly, we modify the Section 20.18(c) implementation deadlines for analog wireless systems and digital wireless systems. For analog systems, the implementation deadline for Section 20.18(c) would be December 1, 1997, the expiration of the stay of that rule. Although we recognize that an additional delay period is necessary for digital wireless systems, we believe the 15-month extension proposal contained in the TTY Consensus Agreement is excessive. We also do not believe that an additional 3-month extension until April 1, 1999 is necessary and do not believe it would be appropriate to leave the decision whether to grant an additional extension to the TTY Forum.¹⁵⁷ Any unnecessary or premature delay in TTY compatibility with 911 impairs the public health and safety and runs counter to the policies of the ADA. Some comments also suggest that digital compatibility problems may be less serious than was originally feared.¹⁵⁸ We reiterate that the wireless industry and other interested parties must give TTY compatibility the priority that the law demands.¹⁵⁹

59. We will, therefore, temporarily suspend enforcement of the TTY requirement for 12 months until October 1, 1998, but only for digital systems and subject to conditions that protect consumers, encourage compliance, and ensure minimal delay. Specifically, we require that (1)

¹⁵⁴ Omnipoint Petition at 9-11 & n.11.

¹⁵⁵ MCC Further Comments at 5; TTY Consensus Agreement at 1.

¹⁵⁶ TTY Consensus Agreement at 1.

¹⁵⁷ *Id.*

¹⁵⁸ *See, e.g.,* Wireless E911 Coalition *Ex Parte* Filing (June 4, 1997).

¹⁵⁹ *See* 42 U.S.C. •• 12131-12134.

carriers whose systems are not compatible with TTY calls must notify current and potential subscribers, as we discuss below, and (2) quarterly progress reports on efforts and achievements in E911-TTY compatibility, including efforts made to implement the notification requirement, be filed with the Commission by the parties to the TTY Consensus Agreement. We believe that this extra time will allow the wireless industry • working with organizations representing individuals with hearing and speech disabilities • to overcome technical barriers and compatibility problems involved in implementing solutions for TTY users on digital wireless systems. We also delegate to the Wireless Telecommunications Bureau the authority to grant an additional 3-month extension until January 1, 1999, upon reviewing the quarterly status reports on TTY compatibility with digital systems filed by the parties to the TTY Consensus Agreement, as we discuss below.

b. Notification Requirement

60. Carriers whose systems are not compatible with TTY calls must make every reasonable effort to notify current and potential subscribers that they will not be able to use TTYs to call 911 with digital wireless devices and services. The Commission is concerned that the delay in finding a compatibility solution for digital wireless services and TTYs could result in people unknowingly purchasing wireless handsets and subscribing to services that are incapable of transmitting TTY tones accurately. Such incompatibility would delay or prevent the dispatch of help to TTY users in an emergency. Consumers might also believe that the Commission's original TTY compatibility deadline remains in effect for all wireless phones and services, including digital systems.

61. To help ensure that the delay in solving the TTY compatibility problem does not mislead or otherwise create problems for TTY users, we encourage carriers to work together with manufacturers, retailers, public safety officials, and representatives of TTY users to make every reasonable effort to notify current and potential subscribers of this compatibility problem until it is solved. This notification could be accomplished, for example, with inserts in billing statements, newsletters, notification stickers on handsets, disclosures in service agreements, user manuals, or other means designed to inform current and potential subscribers of the inability to use TTYs to call 911 with digital devices.

c. Reporting Requirements

62. As we mentioned above,¹⁶⁰ the Commission required each of the signatories to the Consensus Agreement, PCIA, and TDI to report to us jointly by October 1, 1997, regarding the status of the issues related to E911 features for TTY calls. After the implementation deadline was stayed until November 30, 1997, however, CTIA requested an extension of time to file the Joint Status Report on TTY issues, contending that the parties need to take into consideration the

¹⁶⁰ See discussion at para. 0, *supra*.

additional 60 days allowed for implementation and to evaluate the effectiveness of TTY implementation.¹⁶¹ We now grant the extension requested by CTIA and require the reporting parties to file the Joint Status Report by December 30, 1997.

63. The Coalition, in requesting an extension of the October 1, 1997 deadline, also pledged that the wireless industry would provide periodic status updates on progress in TTY compatibility.¹⁶² In addition, the TTY Consensus Agreement proposes to submit a status report on the progress of the TTY Forum every four months.¹⁶³ To monitor the progress of these efforts and help encourage and ensure progress, we will require that the progress reports be made as a condition for the suspension of enforcement of the TTY requirement for wireless digital systems. These progress reports should be filed by the parties to the TTY Consensus Agreement in this docket at least quarterly, within 10 days after the end of the quarter beginning January 1, 1998, until the quarter ending September 30, 1998. For the first quarter, January-March, 1998, this progress report should be filed no later than April 10, 1998.

64. The quarterly status report should include, but not be limited to, information regarding the problems associated with TTY access through digital wireless systems, proposed technical solutions, and steps taken to achieve the proposed technical solutions.¹⁶⁴ In addition, as part of the quarterly status report, the parties to the TTY Consensus Agreement will be required to report generally on the steps taken to notify current and potential subscribers that TTYs cannot be used to call 911 over digital wireless systems.¹⁶⁵ Such information should be sufficiently detailed to allow the Commission to assess whether sufficient progress is being made. Based on these quarterly status reports, the Wireless Telecommunications Bureau, under delegated authority, may extend the suspension of enforcement of Section 20.18(c) for an additional three months, until January 1, 1999, if necessary. We note that the disability community has agreed to support the efforts of the TTY Forum by providing representatives with appropriate technical expertise to the Working Group.¹⁶⁶ We strongly urge the industry to include the disability community in the process of making E911 compatible with TTY for digital service.

d. Short Message Service

¹⁶¹ CTIA *Ex Parte* Filing (Oct. 1, 1997); *but see* CTIA *Ex Parte* Filing (Sept. 23, 1997).

¹⁶² Wireless E911 Coalition *Ex Parte* Filing at 5 (June 4, 1997).

¹⁶³ TTY Consensus Agreement at 1-2.

¹⁶⁴ *Id.*

¹⁶⁵ See discussion at paras. 0-0, *supra*.

¹⁶⁶ *Id.* at 2.

65. We deny portions of the Omnipoint and TIA petitions requesting that the Commission allow digital system providers to comply with the 911 access rules through a "short-messaging service" or data services compliant with international standards.¹⁶⁷ Omnipoint and TIA argue that a written short messaging service (SMS), such as a direct teletext service through the mobile unit's display and keypad, would be the best alternative to the transmission of TTY signals through a digital vocoder system, because PCS-1900 phones currently permit a written message to be prepared using the keypad on the handset.¹⁶⁸ TIA also claims that direct teletext service would provide maximum benefits to the end user (*i.e.*, reliable TTY communications) without requiring a stand-alone TTY unit in addition to the mobile phone. Therefore, TIA urges the Commission to provide flexibility in requiring TTY and digital wireless E911 compatibility through the use of this "functional equivalent."¹⁶⁹

66. The disability community, however, contends that the use of handset keypad-originated text messages is not an appropriate alternative. CAN, for example, argues that in an emergency situation, very few callers would be able to maintain the level of concentration needed to complete a call by pressing certain keys a specified number of times to create a letter, which is the conventional method for transmitting a short message service.¹⁷⁰ Moreover, the record indicates that using the SMS and data advanced capacity of PCS-1900 networks to communicate with a PSAP would not currently offer a significant end user benefit because few PSAPs are configured to accept SMS directly and not all PSAPs can accept ASCII type TTY calls and other types of data calls.¹⁷¹ Omnipoint concedes that, while it believes SMS may be useful eventually and should be promoted as a method of transmitting emergency calls by people with hearing and speech disabilities, its effectiveness requires PSAPs to be suitably equipped for SMS communications.¹⁷² Until this upgrade occurs, people with hearing or speech disabilities cannot rely on SMS in emergency situations.

67. We also note that under Department of Justice regulations, all PSAPs are currently required to be equipped with minimal capability for receiving Baudot format TTY calls. Thus, a public entity would not be required to provide direct access to computer modems and other data services using formats other than Baudot, until it can be technically proven that communications

¹⁶⁷ See Omnipoint Petition at 8; TIA Petition at 14-15.

¹⁶⁸ See Omnipoint Petition at 8; TIA Petition at 14-15.

¹⁶⁹ TIA Petition at 14-15.

¹⁷⁰ CAN Comments at 2-3.

¹⁷¹ See Omnipoint Petition at 13-14 (claiming that not all PSAPs can accept the 300 b/s ASCII type TTY calls, and fewer PSAPs are able to accept a data call other than a 300 b/s ASCII call from a TTY device).

¹⁷² *Id.* at 14.

in another format can operate in a reliable and compatible manner in a given telephone emergency environment.¹⁷³ Accordingly, we agree with CAN that the use of handset keypad-originated text messaging, as suggested by Omnipoint and TIA, is not an appropriate or practical alternative for hearing and speech-impaired persons in an emergency.

e. E911 Requirements for TTY Calls

68. Although Section 20.18(d) and Section 20.18(e) clearly require covered carriers to provide Phase I and Phase II features of E911 for all 911 calls, including TTY calls,¹⁷⁴ the text of the *E911 First Report and Order* suggests that implementation of these features for TTY might be further explored and negotiated by the parties.¹⁷⁵ We therefore clarify our intention in order to encourage rapid implementation of the TTY access requirement.

69. When we required each of the signatories to the Consensus Agreement, as well as PCIA and TDI, to report to us by the implementation date of the TTY access rules (October 1, 1997), our intention was to assess the status of issues related to E911 features for TTY calls, *not* to defer the implementation of E911. As we stated in the *E911 First Report and Order*, we may

¹⁷³ See ADA Title II Technical Assistance Manual, II-7.3100.

¹⁷⁴ Section 20.18(d), regarding ANI requirements, states:

As of 18 months after the effective date of the rule [April 1, 1998], licensees subject to this section must relay the telephone number of the originator of a 911 call and the location of the cell site or base station receiving a 911 call from any mobile handset or text telephone device accessing their systems to the designated PSAP through the use of Pseudo ANI and ANI.

47 C.F.R. • 20.18(d) (emphasis added). Section 20.18(e), regarding ALI requirements, states:

As of five years after the effective date of this rule [October 1, 2001], licensees subject to this section must provide to the designated PSAP the *location of a 911 call* by longitude and latitude within a radius of 125 meters using RMS techniques.

47 C.F.R. • 20.18(e) (emphasis added).

¹⁷⁵ In the *E911 First Report and Order*, the Commission stated that:

Although we recognize TDI's concerns that TTY users should also benefit from E911 features including ALI and ANI capabilities, *we are of the view that at this time it would be prudent for the wireless industry, equipment manufacturers, PSAPs, and the disabled community to explore these issues to determine the extent of the problems and whether these issues might be resolved by agreements between the interested parties or by standard bodies.*

11 FCC Rcd at 18702 (para. 52) (emphasis added).

initiate a further proceeding after reviewing this report.¹⁷⁶ This possibility of a further proceeding does not, however, affect the current TTY rules. Moreover, the record indicates that TTY transmissions occur over a voice channel only, and that currently available automatic location technology would not be affected by the technical concerns related to TTY transmissions over digital wireless systems.¹⁷⁷ TruePosition, for example, contends that there is no reason to delay the Phase II deadlines based on the technical difficulties associated with TTY requirements, because its location system utilizes the reverse control signal emanating from a wireless phone, which is separate from the voice channel signal.¹⁷⁸ Therefore, the implementation of the Phase I and Phase II E911 requirements for TTY calls should conform to our rules, as scheduled. For the reasons discussed above,¹⁷⁹ we do, however, defer the Phase I requirements for TTY calls through digital systems until October 1, 1998.

C. Applicability of Rules

1. Definition of Covered SMR Services

a. Background and Petitions

70. In the *E911 First Report and Order*, the Commission applied the 911 and E911 rules to cellular, broadband PCS carriers, and "covered SMRs."¹⁸⁰ We defined "covered SMRs" as those SMRs that hold geographic area licenses or have obtained extended implementation authorizations in the 800 MHz or 900 MHz service, either by waiver or under Section 90.629 of the Rules.¹⁸¹ In addition, the term "covered SMR" includes only licensees that offer real-time, two-way switched voice service that is interconnected with the public switched network, either on a stand-alone basis or packaged with other telecommunications services.¹⁸² Thus, we stated that local SMR licensees offering mainly dispatch services to specialized customers, as well as licensees offering data, one-way, or stored voice services on an interconnected basis, would not be governed by these E911 requirements.¹⁸³ The intent was to extend the 911 requirements that

¹⁷⁶ *Id.*

¹⁷⁷ See TruePosition Further Comments at 6.

¹⁷⁸ *Id.*

¹⁷⁹ See discussion at paras. 0-0, *supra*.

¹⁸⁰ *E911 First Report and Order*, 11 FCC Rcd at 18716-18 (paras. 80-83).

¹⁸¹ *Id.* at 18716 (para. 81).

¹⁸² *Id.* See 47 C.F.R. • 20.18(a).

¹⁸³ *E911 First Report and Order*, 11 FCC Rcd at 18716 (para. 81).

apply to cellular and broadband PCS carriers to those SMRs that compete with them in providing mobile telephone service to the general public, but not to traditional dispatch services.

71. In their petitions, a number of parties contend that the definition of "covered SMR" adopted in the *E911 First Report and Order* is overinclusive. Specifically, these parties argue that some SMR licensees that offer mostly dispatch services inappropriately come within the covered SMR definition by virtue of the fact that they provide limited interconnection capability to their dispatch customers.¹⁸⁴ Contending that a more narrowly tailored definition is required to achieve the Commission's intention to exclude all traditional local SMRs, these petitioners ask the Commission to define "covered SMR" either based on the use of a "mobile telephone switching facility," or based on the number of subscribers nationwide. AMTA and Nextel, for example, propose that the term, "covered SMR," encompass only those SMR systems that "offer consumers two-way voice services using a mobile telephone switching facility."¹⁸⁵ PCIA proposes that the definition of "covered SMRs" depend on the number of mobile units served.¹⁸⁶ AMTA also alternatively proposes that the term "covered SMR" apply only to "systems serving 20,000 or more subscribers nationwide."¹⁸⁷

72. On December 16, 1996, AMTA filed a Petition for Declaratory Ruling concerning the definition of "covered SMR" in this and three other Commission proceedings.¹⁸⁸ In its Petition, AMTA proposes a revised definition of "covered SMRs" in this proceeding as "geographic area SMR services in the 800 MHz and 900 MHz bands (included in Part 90, Subpart S of this chapter) that offer real-time, two-way interconnected voice service using multiple base stations and an intelligent in-network switching facility that permits automatic, seamless interconnected call handoff among base stations, and Incumbent Wide Area SMR licensees."¹⁸⁹

73. In an *ex parte* filing dated April 14, 1997, Geotek proposes an alternative for SMR

¹⁸⁴ See AMTA Petition at 1-6; SBT Petition at 3-4; PCIA Petition at 16-17; Nextel Petition at 7-9.

¹⁸⁵ Nextel Petition at 8; AMTA Petition at Exhibit A. AMTA also proposes to define "Mobile Telephone Network Facility" as "an electronic system that is used to terminate mobile stations for purposes of interconnection to each other and to trunks interfacing with the public switched network."

¹⁸⁶ PCIA Petition at 17.

¹⁸⁷ AMTA Petition at 8-9.

¹⁸⁸ AMTA Petition for Declaratory Ruling, In the Matter of Interconnection and Resale Obligations Pertaining to Commercial Mobile Radio Services, CC Docket No. 94-54; Revision of the Commission's Rules to Ensure Compatibility with Enhanced 911 Emergency Calling Systems, CC Docket No. 94-102, RM-1843; Telephone Number Portability, CC Docket No. 95-116, RM-8535; Guidelines for Evaluating the Environmental Effects of Radiofrequency Radiation, ET Docket No. 93-62, filed Dec. 16, 1996.

¹⁸⁹ *Id.*, Exhibit.

licensees operating in a group dispatch-style configuration.¹⁹⁰ Geotek claims that application of the E911 rules to SMR carriers providing traditional dispatch services to the regulatory requirements adopted in the *E911 First Report and Order*, with interconnection as an ancillary feature, may be counterproductive and lead to results adverse to the Commission's intentions.¹⁹¹ Under Geotek's proposed alternative rule, a covered carrier offering dispatch-style services must notify its customers that vehicles with interconnected service within the customer's fleet may not have capability to reach an appropriate PSAP by dialing 911. The covered carrier would be required to specify in its notice to customers that it is the responsibility of the customer, presumably through its dispatcher, to process requests for emergency assistance from vehicles within the fleet, as well as to make the vehicle operators aware on a regular basis of the need to contact the dispatcher rather than dial 911. Further, Geotek proposes that covered carriers provide the customer with labels to be affixed to the vehicle radios that instruct the operators to contact their dispatcher directly in an emergency.¹⁹² Nextel, in an *ex parte* filing dated June 4, 1997, supports Geotek's claim that the Commission should allow fleet dispatch users to rely on their dispatcher for emergency situations.¹⁹³

74. In their *ex parte* filings, Geotek and Nextel argue that a dispatcher remains the natural point of contact in an emergency in traditional dispatch-style operations with limited interconnection capability, because the dispatcher has far better information regarding a mobile unit's exact location and is in almost constant contact with the fleet. Geotek and Nextel also note that in a dispatch system that provides interconnection, it is not guaranteed that a customer's 911 call would be connected to the nearest or most appropriate PSAP given the locational limitations of the single base station.¹⁹⁴ They argue that even if an interconnected customer can reach the PSAP by calling 911, the call may not be routed to the nearest or most appropriate PSAP because traditional dispatch operations typically use a single high power cell site that may cover a radius of as much as 25 miles.¹⁹⁵ Thus, they contend that, while it may be "possible" to provide PSAPs

¹⁹⁰ Geotek *Ex Parte* Filing (Apr. 14, 1997).

¹⁹¹ *Id.*

¹⁹² *Id.*, Attachment.

¹⁹³ Nextel *Ex Parte* Filing at 2 (June 4, 1997). Nextel claims that it provides the following four distinct service offerings, each with varying degrees of interconnection, and therefore varying degrees of E911 capabilities: (1) analog dispatch-only services; (2) analog dispatch services with limited ancillary interconnection capability; (3) dispatch-only digital iDEN service; and (4) fully integrated digital cellular, dispatch, short-messaging iDEN services.

¹⁹⁴ Geotek *Ex Parte* Filing at 3 (Apr. 14, 1997); Nextel *Ex Parte* Filing at 4 (June 4, 1997)

¹⁹⁵ Nextel *Ex Parte* Filing at 4 (June 4, 1997). Nextel, for example, claims that an analog user travelling through Washington, D.C., might be operating on a base station located in Baltimore, Maryland. If the user were to dial 911, the call would be routed to a PSAP in Baltimore, approximately 40 miles away from the caller's location and the appropriate PSAP in the District. *See also* Geotek *Ex Parte* Filing at 3 (Apr. 14, 1997). Geotek

with the system's base station location, such information is of no practical value to determining the caller's location.¹⁹⁶

b. Discussion

75. In the *E911 First Report and Order*, we concluded that cellular and broadband PCS carriers should be subject to 911 and E911 requirements because customers, many of whom purchase cellular and PCS telephone equipment primarily for safety and security reasons, expect such service.¹⁹⁷ We also concluded that those SMR providers that have the potential to offer near-term direct competition to cellular and PCS systems also should be subject to the E911 requirements.¹⁹⁸ We determined that a distinction was warranted between SMR providers that will compete directly with cellular and PCS providers, and SMR providers that offer mainly dispatch services in a localized non-cellular system configuration. We therefore adopted the "covered SMR" definition in an attempt to exclude the latter category of SMR providers from our E911 requirements.

76. On reconsideration, we agree with petitioners that the "covered SMR" definition adopted in the *E911 First Report and Order* is overinclusive with respect to certain types of SMR systems. In addition, we conclude that the concept of applying E911 requirements only to certain categories of "covered" carriers should be extended to cellular and broadband PCS. The current rule requires all geographic area or wide-area SMR licensees to comply with the E911 requirements if they provide two-way real time interconnected voice service. As petitioners point out, however, this brings within the "covered SMR" definition any SMR provider with a geographic or wide-area license that provides any form of interconnected two-way voice service. Thus, SMR providers that primarily offer traditional dispatch services but also offer limited interconnection capability are potentially subject to E911 requirements under the current rules. We believe that this is inconsistent with our determination that only SMR providers who compete directly with cellular and PCS should be subject to E911 requirements.

77. We also note that traditional dispatch providers with limited interconnection

also claims that licensees providing traditional dispatch operations typically operate cells with radii as large as 25 miles, *i.e.*, areas close to 2,000 square miles. Within such an area, there may be numerous PSAPs. In addition, in some locations, such as the Philadelphia area, the area served by a single cell site might include a multiplicity of jurisdictions, including several across state borders.

¹⁹⁶ Nextel *Ex Parte* Filing at 4 (June 4, 1997). Nextel also argues that because the individual user has no specific telephone number assigned to it, the Phase I requirement to transmit a call back number cannot be accomplished since there is no phone number for the PSAPs to call back.

¹⁹⁷ *E911 First Report and Order*, 11 FCC Rcd at 18716 (para. 80).

¹⁹⁸ *Id.* (para. 81).

capabilities, such as those described by Geotek in its *ex parte* filing, would have to overcome significant and potentially costly obstacles to provide 911 access. First, "non-cellular" dispatch systems typically have a limited number of interconnected lines and do not necessarily have the capability to accommodate PSAP routing. Further, interconnected SMR users or dispatch systems are often not assigned individual telephone numbers and must share phone lines with other customers, creating the risk of getting a busy signal on an interconnected call, including a 911 call. Even if the call reaches the PSAP via 911, selective routing to the appropriate PSAP is complicated by the fact that most dispatch-oriented systems use single, high-power sites, so that routing a 911 call to the system's base station may not guarantee connection to the nearest or most appropriate PSAP.¹⁹⁹

78. For the foregoing reasons, we conclude that the "covered SMR" definition should be narrowed to include only those systems that will directly compete with cellular and PCS in providing comparable public mobile interconnected service. We agree, as several petitioners suggest, that the best indicator of an SMR provider's ability to compete with cellular and broadband PCS providers in this respect is whether the provider's system has "in-network" switching capability. This switching capability allows an SMR provider to hand off calls seamlessly without manual subscriber intervention. In-network switching facilities also accommodate the reuse of frequencies in different portions of the same service area. Frequency reuse enables the SMR provider to offer interconnected service to a larger group of customers, which enables the provider to compete directly with cellular and PCS. We therefore adopt these criteria as the basis for our definition of "covered" service.

79. In adopting this definition of "covered" service, we note that some "covered" SMR providers that utilize in-network switching and provide seamless handoff may also provide their customers with dispatch capability. We agree with Geotek and Nextel that in such instances, customers' emergency needs may be as well served by the dispatcher as by providing 911 dialing access. We therefore conclude that "covered" SMR systems that offer dispatch services to customers may meet their E911 obligations to their dispatch customers either by providing customers with direct capability for E911 purposes, or alternatively, by routing dispatch customer emergency calls through a dispatcher.

80. A covered carrier who chooses the latter alternative for its dispatch customers must make every reasonable effort to explicitly notify current and potential dispatch customers and their users that they will not be able to directly reach a PSAP by calling 911 and that, in the event of an emergency, the dispatcher should be contacted. This notification could be accomplished, for example, with an insert in billing statements, newsletters, notification stickers on handsets, disclosure in service agreements, user manuals, or other means designed to inform current and potential subscribers of the inability to directly call 911 with SMR systems that offer dispatch services.

¹⁹⁹ *Id.* at 18680 (para. 7).

81. We also conclude that cellular and broadband PCS should be treated consistently with SMR providers to the extent they do not provide in-network switched mobile telephone services. The likelihood that some providers may seek to provide other services over cellular or broadband PCS spectrum is heightened by our recent rule changes which allow the partitioning and disaggregation of spectrum.²⁰⁰ We believe that all broadband Commercial Mobile Radio Service (CMRS) licensees providing primarily dispatch service should be excluded from the E911 requirements regardless of whether SMR, PCS, or cellular spectrum is used. Therefore, we extend our modified "covered SMR" definition to these other services also. We believe that this revised definition of the class of carriers covered by our rules also will better match expectations of consumers who use services of these carriers as to whether they will have access to 911 and E911 services. In addition, "covered carriers" that offer dispatch services to their customers may meet their E911 obligations by providing access through a dispatcher, provided they comply with the notification requirement described above.

82. We agree with Nextel's assertion in its petition that the definition of "covered" services for E911 purposes should be applied on a system-by-system basis. Therefore, we clarify that where a licensee provides "covered" interconnected services on one system while providing traditional dispatch services on another system, only the "covered" system is required to provide E911 services.

83. Finally, we reject AMTA's alternative proposal that the "covered" service definition apply only to systems serving 20,000 or more subscribers nationwide. We seek to develop a definition that covers cellular, broadband PCS, and SMR providers based on the functional nature of the service they provide. A definition based solely on the size of a system without regard for the type of services provided would be arbitrary and incompatible with our policy objectives.

2. Mobile Satellite Services

a. Background and Petitions

84. In the *E911 First Report and Order*, the Commission exempted Mobile Satellite Services (MSS) from the 911 and E911 rules, recognizing that adding specific regulatory requirements to MSS may impede the development of service in ways that might reduce its ability to meet public safety needs.²⁰¹ We noted that coordination with international standards bodies will be necessary for international calls, and the current state of technology requires more

²⁰⁰ Geographic Partitioning and Spectrum Disaggregation by Commercial Mobile Radio Services, WT Docket No. 96-148, Report and Order and Further Notice of Proposed Rulemaking, 11 FCC Rcd 21831 (1996).

²⁰¹ *E911 First Report and Order*, 11 FCC Rcd at 18718 (para. 83).

obstacles to be overcome in the case of MSS carriers than for terrestrial carriers.²⁰² Thus, while we expected that CMRS voice MSS will eventually be required to provide appropriate access to emergency services, we did not adopt a schedule or other requirements for such service providers in this proceeding.²⁰³

85. In its petition for reconsideration, the Coast Guard requests that the Commission reconsider this decision and issue a Further Notice of Proposed Rulemaking regarding the provision of emergency communications by MSS systems.²⁰⁴ The Coast Guard argues that it is best to resolve the issue of E911 access for MSS systems now, while mobile satellite voice systems are fairly new and not yet in widespread use, contending that public safety agencies will face the potentially tragic consequences of interoperability in the future without pertinent safety regulations and standards.²⁰⁵ Based on new facts from the recent discussion with AMSC, including new information on costs for providing Global Positioning Systems (GPS) for MSS phones, the Coast Guard claims that a reconsideration of our decision on MSS is required in the public interest.²⁰⁶

86. In response to the Coast Guard's petition, several parties argue that the Commission should refrain from reconsidering our decision not to impose E911 requirements to MSS at this time. COMSAT, for example, contends that it is not appropriate or otherwise in the public interest for the Commission to extend its E911 rules unilaterally to existing global MSS offerings and urges that the Commission consider establishing an industry advisory group to facilitate further consideration of 911 compatibility issues for domestic MSS service providers.²⁰⁷ Motorola Satellite also argues that there is no need for a Further Notice of Proposed Rulemaking, because the ultimate MSS solution may not be similar to the approach for terrestrial systems, and because competition will result in MSS operators providing emergency communications.²⁰⁸ On the other hand, AMSC states that, although it does not agree completely with the Coast Guard's characterization of the feasibility of providing certain emergency services, it supports the Coast Guard's request that the Commission play an active role in this process, either through the issuance of a Further Notice of Proposed Rulemaking or through some other mechanism, such as

²⁰² *Id.*

²⁰³ *Id.*

²⁰⁴ Coast Guard Petition at 6.

²⁰⁵ *Id.* at 2.

²⁰⁶ *Id.* at 6.

²⁰⁷ COMSAT Reply at 4.

²⁰⁸ Motorola Satellite Reply at 8-9.

an industry advisory group.²⁰⁹

b. Discussion

87. Upon reviewing the record, we affirm our decision not to impose E911 requirements upon MSS providers at this time, and we deny the Coast Guard's petition for reconsideration. As we recognized in the *E911 First Report and Order*, the commercial MSS industry is still in its infancy.²¹⁰ Although we acknowledge the Coast Guard's argument that it would be best to resolve issues related to public safety communications and standards before the deployment of MSS becomes widespread, it is our policy in this proceeding not to impose specific regulatory requirements on certain classes of CMRS providers that have not yet fully developed their commercial services.²¹¹ In addition to MSS services, the Commission also exempted 220 MHz licensees operating on 5 kHz channels, noting that the 220 MHz service is in its early stages and is still evolving.²¹² Similarly, we determined that it is premature to require multilateration Location and Monitoring Service (LMS) to provide E911 at this time, because it is not certain how this service will develop.²¹³ As we indicated in the *E911 First Report and Order*, we might revisit our decision if these various services develop into a mobile public telephone service like cellular or broadband PCS.²¹⁴

88. Because the public interest is likely to require that all CMRS real time two-way voice communications services provide reasonable and effective access to emergency services, we expect that CMRS voice MSS will eventually provide appropriate access to emergency services, either voluntarily or pursuant to Commission rules.²¹⁵ We are confident that the domestic MSS industry will continue their efforts to coordinate with public safety agencies to develop mutually acceptable emergency access services in the meantime.²¹⁶ Moreover, we agree with some parties

²⁰⁹ AMSC Opposition at 1-2.

²¹⁰ See *E911 First Report and Order*, 11 FCC Rcd at 18718 (para. 83). For example, Motorola Satellite states that the only MSS provider operating in the United States, AMSC, has only 9,000 customers, and the currently-licensed "Big LEO" MSS providers have not yet implemented voice services. Motorola Reply at 4. LQL also opposes the Coast Guard's proposal, contending that E911 requirements for MSS systems would hinder the rapid introduction of new and enhanced MSS services. LQL Opposition at 2.

²¹¹ *E911 First Report and Order*, 11 FCC Rcd at 18718 (para. 83).

²¹² *Id.* at 18717 (para. 82).

²¹³ *Id.*

²¹⁴ *Id.* at 18717-18 (paras. 82-83).

²¹⁵ *Id.* at 18718 (para. 83).

²¹⁶ See, e.g., COMSAT Reply at 2-3; AMSC Opposition at 1-2; Motorola Satellite Reply at 3.

that imposing national standards on systems operating land earth stations in the United States would leave global "Big LEO" MSS operators subject to both United States standards and to future international requirements, resulting in additional costs and uncertainty.²¹⁷ COMSAT, for example, contends that the need to coordinate with international standards bodies and the current state of MSS technology pose real obstacles to the immediate deployment of E911 systems by MSS.²¹⁸

89. Although the Coast Guard argues that the Commission should lead the international standards bodies to develop compatible national and international safety standards for MSS, we believe that the MSS industry and the public safety community are in a better position than the Commission to coordinate with international organizations, such as the International Telecommunications Union. As the record indicates, emergency service requirements for global MSS systems should be developed in an international forum to take into account compatibility and consistency with international standards, and to avoid burdening United States MSS licensees with a patchwork of different requirements.²¹⁹ Therefore, we urge the MSS industry and the public safety community to continue their efforts to develop and establish public safety standards along with the international standards bodies. We will revisit this issue if the MSS industry develops into a commercial mobile telephone service similar to cellular and broadband PCS, and still does not provide reliable public safety access to MSS customers.

D. Phase I E911 Requirements

1. Background and Petitions

90. In Phase I of the E911 deployment, Section 20.18(d) requires carriers to relay the telephone number of the originator of a 911 call (referred to as Automatic Number Identification or "ANI"), and the location of the cell site or base station receiving a 911 call (a capability often provided through a technique known as "pseudo-ANI") to the designated PSAP.²²⁰ The Commission determined that the provision of ANI and pseudo-ANI as part of Phase I will provide valuable information and will assist emergency responses both by identifying the base station or cell site and by permitting call back capability if the call is disconnected.²²¹ Covered carriers are

²¹⁷ See *E911 First Report and Order*, 11 FCC Rcd at 18718 (para. 83). See also *Motorola Satellite Reply* at 6-7.

²¹⁸ COMSAT Reply at 3.

²¹⁹ See *LQL Opposition* at 2-3; COMSAT Reply at 3; *Motorola Satellite Reply* at 6-7.

²²⁰ 47 C.F.R. • 20.18(d).

²²¹ *E911 First Report and Order*, 11 FCC Rcd at 18709 (paras. 64-65). Section 20.03 defines "ANI" and "pseudo-ANI" as follows:

required to comply with Section 20.18(d) by April 1, 1998, provided that the PSAPs send their request for the Phase I implementation by October 1, 1997.²²²

91. Recognizing that technology-related issues may prevent some wireless carriers from implementing Phase I within the required timetable, however, we stated that covered carriers may request a waiver of our rules.²²³ If a carrier requests a waiver, it must show sufficient factual support that either (1) its network equipment is not capable of transmitting ANI and "pseudo-ANI" and its equipment cannot be upgraded within the Phase I timetable; or (2) the local exchange carrier (LEC) used by the covered carrier to transmit 911 calls to the PSAP does not have the capability of transmitting ANI and "pseudo-ANI."²²⁴ We also stated that, if a carrier requests a waiver of Phase I requirement because its own equipment requires upgrading, it must submit with its waiver request a deployment schedule for meeting the Phase I requirements.²²⁵

92. In their petitions for reconsideration, several parties request that the Commission clarify or modify the terms and the carrier's responsibilities regarding the Phase I requirements. Noting that the Commission did not define "appropriate PSAP" or "designated PSAP," Ameritech requests that the Commission clarify these terms and resolve issues related to multiple PSAPs and intersystem handoff problems.²²⁶ CTIA argues that the definition of "ANI" should be revised to reflect the fact that the ANI does not always represent the directory number of the calling party, claiming that the ANI is a system for billing calls that indicates the party responsible for paying for the call.²²⁷ With regard to the definition of "pseudo-ANI," TIA and CTIA request that the Commission revise the Section 20.3 definition so that it does not imply that a carrier must

Automatic Number Identification. A system which permits the identification of the caller's telephone number.

Pseudo Automatic Number Identification. A system which identifies the location of the base station or cell site through which a mobile call originates.

47 C.F.R. • 20.03.

²²² If a PSAP sends a Phase I request to a carrier after October 1, 1997, the carrier will be required to implement Phase I within six months after it receives the notice from the PSAP. *See E911 First Report and Order*, 11 FCC Rcd at 18709 (para. 64).

²²³ *Id.* at 18710 (para. 66).

²²⁴ *Id.*

²²⁵ *Id.*

²²⁶ Ameritech Petition at 2-6.

²²⁷ CTIA Petition at 14.

use "pseudo-ANI" to transmit the base station or cell site location information.²²⁸ XYPOINT urges the Commission to clarify that the Phase I requirement to transmit the telephone number of the 911 caller be "in the form of the full 10-digit directory number of the caller," arguing that transmission of any other number would cause confusion to PSAP operators, who may have to learn individual carrier, geographic, or technology codes.²²⁹

93. As to the Phase I implementation schedule, BellSouth reiterates its argument that it is not technologically feasible to pass *both* ANI and "pseudo-ANI" at this time, given the current state of switching technology, particularly for systems using MF or conventional SS7 protocols.²³⁰ BellSouth thus requests the Commission to revise Section 20.18(d) of the Commission's Rules to require covered carriers to pass ANI *or* "pseudo-ANI," not *both* ANI and "pseudo-ANI."²³¹ It also claims that carriers operating Motorola or Nortel systems will be requesting waivers, as will carriers in markets where the local exchange carrier (LEC) is incapable of passing the information to the PSAP, contending that new selective routers must be installed in LEC networks in order to pass 10-digit ANI and "pseudo-ANI."²³² In addition, in an *ex parte* letter, Nextel requests that the Commission delay the Phase I implementation deadlines for one year, citing the complexity of marketing, billing, and state and local funding and cost recovery issues.²³³ In later comments, it requests a delay of two years.²³⁴

94. A number of parties urge the Commission to clarify the Phase I obligations of carriers in cases in which they cannot provide a call back number at all, or cannot provide a reliable call back number.²³⁵ TIA, for example, proposes that the Commission clarify that, "in cases where a mobile's directory number is not known to the serving carrier, the serving carrier's Phase I obligations extend only to delivering 911 calls to PSAPs, if the unit is capable of originating calls without registration, and that implementation of other E911 functionalities for such mobiles is not required."²³⁶ BellSouth also requests the Commission to clarify that the call back obligation does

²²⁸ *Id.* at 14-15; TIA Petition at 7.

²²⁹ XYPOINT Petition at 3.

²³⁰ BellSouth Petition at 5-6.

²³¹ *Id.* at 5.

²³² *Id.* at 5-7.

²³³ Nextel *Ex Parte* Filing at 5-7 (June 4, 1997).

²³⁴ Nextel Additional Comments at 3-7.

²³⁵ *See, e.g.*, BellSouth Petition at 5-7; PCIA Petition at 6-7; TIA Petition at 12; Motorola Reply at 4-5.

²³⁶ TIA Petition at 12.

not apply to non-service initialized handsets.²³⁷ Similarly, PCIA argues that a carrier's obligation for non-service initialized phones should extend only to transmitting to the PSAP what logically should be a call back number, regardless of whether that number is valid.²³⁸

95. Later *ex parte* presentations and additional comments in response to the July 16 Public Notice reiterate the arguments that reliable call back number can not be provided unless a 911 caller is a validated subscriber, *i.e.*, a current subscriber of the serving carrier or a roamer with a roaming agreement with the serving carrier.²³⁹ On the other hand, Alliance in its July 11 *ex parte* filing contends that any handset can be called back by a PSAP by use of a "valid" MIN or a "pseudo-MIN" assigned to the calling handset by the cell switch at the time the 911 call is received.²⁴⁰ Many parties in their additional comments filed in response to the July 16 Public Notice, however, dispute Alliance's claim that the use of a "pseudo-MIN" is a feasible solution to the call back requirement.²⁴¹

96. In the September 25, 1997, Joint Letter, the parties contend that once number portability is implemented, a MIN will not serve as a unique identifier, and this will thwart the ability of carriers to provide call back capability.²⁴² In addition to their proposals to modify Section 20.18(b) of the Commission's Rules, the parties to the Joint Letter urge the Commission to refrain from making any decisions regarding certain call back capabilities, the strongest signal issue, and the use of temporary call back numbers until the relevant parties develop consensus positions.²⁴³ While supporting a commitment by interested parties to continue to discuss technical issues, however, Congresswoman Eshoo and Alliance oppose the Joint Letter's suggestion that the Commission should wait for these developments to occur prior to resolving issues under reconsideration.²⁴⁴ Alliance also claims that a caller using a GSM handset can be called back even

²³⁷ BellSouth Petition at 8-9.

²³⁸ PCIA Petition at 6-7.

²³⁹ *See, e.g.*, Coalition *Ex Parte* Filing at 1 (July 10, 1997); GTE *Ex Parte* Filing (July 7, 1997); AirTouch Additional Comments at 6-7; AT&T Additional Comments at 2.

²⁴⁰ Alliance *Ex Parte* Filing at 2 (July 11, 1997).

²⁴¹ *See, e.g.*, AirTouch Additional Comments at 6-7; AT&T Additional Comments at 1-2; BANM Additional Comments at 5-6; CTIA Additional Comments at 6-7; NENA Additional Comments at 4-5; SBMS Additional Comments at 3; 360^o Communications Additional Comments at 2; *see also* Coalition *Ex Parte* Filing (Aug. 8, 1997).

²⁴² Joint Letter at 2.

²⁴³ *Id.* at 4.

²⁴⁴ Congresswoman Eshoo *Ex Parte* Letter (Sept. 29, 1997); Alliance *Ex Parte* Letter (Sept. 30, 1997) at 2.

if service has never been initialized. In response to the claim made in the Joint Letter that the ability of carriers to provide call back numbers will be thwarted once number portability is implemented,²⁴⁵ Alliance argues that call back can be easily accomplished in the number portability situation as well by assigning a pseudo-ANI.²⁴⁶

97. Further comments filed in response to the October 3 Public Notice generally dispute Alliance's contentions regarding the call back capability and the use of pseudo-ANI.²⁴⁷ Particularly, in response to Alliance's claim that call back is possible for uninitialized GSM handsets, some parties contend that the record clearly demonstrates that no technology, including GSM, can provide call back if service has not been initialized.²⁴⁸ CTIA also claims that "call back will be possible only upon successful validation • *i.e.*, a database query must be conducted to retrieve a dialable number," particularly once number portability is implemented.²⁴⁹ In addition, Sprint PCS contends that Alliance misconstrues the meaning of the term "pseudo-ANI," arguing that within the Sprint PCS CDMA system, a "pseudo-ANI" is a number assigned to a particular sector of a tower face that permits the system to identify the approximate location of the caller.²⁵⁰ Sprint PCS thus argues that the existence of a pseudo-ANI does not mean the existence of call back capability because pseudo-ANI is not associated with a specific handset.²⁵¹ In their Joint Reply Comments, however, public safety community representatives argue that the issues related to the call back capability should remain open for discussion with Alliance and other interested parties.²⁵²

2. Discussion

a. Clarification of Terms

(1) Selective Routing: Appropriate PSAP, Designated PSAP

²⁴⁵ Joint Letter at 3.

²⁴⁶ Alliance *Ex Parte* Letter (Sept. 30, 1997) at 1-2.

²⁴⁷ See, e.g., AirTouch Further Comments at 4; CTIA Further Comments at 5; GTE Further Comments at 3-4; PCIA Further Comments at 2-3; Sprint PCS Further Comments at 2.

²⁴⁸ See, e.g., AirTouch Further Comments at 2-3; CTIA Further Comments at 5; GTE Further Comments at 3-4; PCIA Further Comments at 5-6.

²⁴⁹ CTIA Further Comments at 5-6; see also Sprint PCS Further Comments at 2.

²⁵⁰ Sprint PCS Further Comments at 2.

²⁵¹ *Id.*

²⁵² Joint Reply Comments at 1.

98. As we noted in the *E911 First Report and Order*, the current E911 systems were originally developed for the wireline telephone services, allowing selective routing of 911 calls to the appropriate PSAP based on the location of 911 callers, among other features.²⁵³ We recognized that the nature of wireless technology presents significant obstacles to making E911 effective for wireless calls. In particular, we noted that selective routing of calls to the appropriate PSAP based on the location of the caller is complicated by the fact that a wireless caller is often moving and the transmission may be received at more than one cell site.²⁵⁴ The record indicated, however, that the carriers and the state or local entities have successfully coordinated the routing of wireless 911 calls to PSAPs, depending on the circumstances of each jurisdiction.²⁵⁵ To the extent that the terms "appropriate" and "designated" PSAPs, as used in the *E911 First Report and Order*, may be unclear, we wish to clarify that the responsible local or state entity has the authority and responsibility to designate the PSAPs that are appropriate to receive wireless 911 calls.²⁵⁶

99. We recognize that the carriers need to coordinate with the state and local governmental entities to determine the designated PSAP, particularly where their service areas cover multiple political jurisdictions. We agree with Ameritech that, without guidance from state or local governmental entities, it may not be clear how a covered carrier would select among multiple PSAPs that may serve the same area but are managed by separate agencies or different

²⁵³ *E911 First Report and Order*, 11 FCC Rcd at 18679 (paras. 4-5).

²⁵⁴ *Id.* at 18680 (para. 7).

²⁵⁵ Each state has developed its own 911 emergency service system. For example, in California, all wireless 911 calls are routed to the State Highway Traffic Agency. In many jurisdictions, the local wireless carriers and PSAPs have coordinated to determine "designated PSAPs" to receive wireless 911 calls. See Ameritech *Ex Parte* Filing (May 13, 1997). Most states have also enacted legislation regarding the E911 Emergency Response System, providing definitions for "PSAP" and other terms. The following definitions of "PSAP" are a few examples of state E911 legislation.

Vermont Statutes, Section 7051(9): "PSAP" means a "facility with enhanced 911 capability, operated on a 24-hour basis, assigned the responsibility of receiving 911 calls and dispatching, transferring, or relaying emergency 911 calls to other public safety agencies or private safety agencies."

New York County Law, Section 301(6): "PSAP" means a "communications facility which first receives 911 calls from persons within a 911 service area and which may, as appropriate, directly dispatch the services of a public safety agency or extend, transfer, relay or otherwise route 911 calls to the appropriate public safety agency."

²⁵⁶ See NENA *Ex Parte* Filing (Aug. 8, 1997) (providing information about how wireless carriers may identify PSAPs associated with their service areas).

governmental entities, crossing state or local political jurisdictions.²⁵⁷ We believe, however, that just as current wireline 911 systems have been successfully developed and managed by state and local governmental entities in coordination with the public safety organizations, these same bodies will successfully integrate wireline and wireless E911 systems. Until the relevant state or local governmental entities develop a routing plan for wireless 911 calls within their jurisdictions, therefore, covered carriers can comply with our rules by continuing to route 911 calls to their incumbent wireless PSAPs.

(2) Section 20.03 Definitions of ANI, Pseudo-ANI

100. Upon reviewing the petitions for reconsideration, we determine to grant the petitions filed by CTIA and TIA partially, by modifying the Section 20.03 definitions of "ANI" and "pseudo-ANI." When the Commission defined "ANI" as "a system which permits the identification of the caller's telephone number," it was our understanding that covered carriers could provide call back numbers to the PSAP through the use of ANI. CTIA and TIA point out that ANI is a system for billing calls that indicates the person responsible for paying for the call, not always the directory number of the caller.²⁵⁸ In emergency service applications, ANI is modified to identify the calling party so it may be used as a call back number.²⁵⁹ We agree with CTIA that the current definition of ANI may be mistakenly interpreted, and we clarify the definition as suggested by CTIA. Therefore, we modify the Section 20.03 definition of "Automatic Number Identification" to mean a system that (1) identifies the billing account for a call in other applications, but for 911 systems, identifies the calling party; and (2) can also be used as a call back number. This call back number should provide capability to reach roamers, either through a 10 digit ANI as XYPOINT proposes, or through other mechanisms that may be negotiated with the PSAPs to achieve the same purpose.

101. The Commission defined "pseudo-ANI" as "a system which identifies the location of the base station or cell site through which a mobile call originates,"²⁶⁰ with the understanding that carriers could transmit cell site location information through the use of pseudo-ANI. Upon reviewing the record, we agree with TIA that pseudo-ANI may not be useful to convey location information in certain circumstances.²⁶¹ A "pseudo-ANI" mimics a telephone number, but is used to convey additional information to a PSAP or for other purposes. As TIA and CTIA discuss, the current definition may impair the flexibility of carriers to deliver the called number and the base

²⁵⁷ See Ameritech Petition 3.

²⁵⁸ E.g., CTIA Petition at 14.

²⁵⁹ *Id.*

²⁶⁰ 47 C.F.R. • 20.03.

²⁶¹ See TIA Petition at 6-7.

station or cell site location information in ways that accommodate the capabilities of some wireline switches, and implies a particular implementation that may not be desirable for many wireless carriers.²⁶²

102. Accordingly, we adopt the revised, implementation neutral definition of "pseudo-ANI," as TIA and CTIA propose, by modifying the Section 20.03 definition of "pseudo-ANI" to mean a number, consisting of the same number of digits as ANI, that is not a North American Numbering Plan telephone directory number and may be used in place of an ANI to convey a special meaning. The specific meaning assigned to the pseudo-ANI is determined by agreements, as necessary, between the telephone system originating the call, intermediate telephone systems handling and routing the call, and the destination telephone system.²⁶³

103. This definition permits the specific meaning of the "pseudo-ANI" to be determined by agreements among the telephone systems involved in completing the calls. With respect to Alliance's request that the Commission not leave any issues to industry agreement which may delay the implementation of E911,²⁶⁴ we do not believe that this modification of the Section 20.03 definition will delay Phase I implementation, because it only gives covered carriers flexibility in implementing Phase I. The change in the definition has no effect on the obligation to provide cell site or base station location information or on the Phase I implementation schedule.

b. Section 20.18(d) Phase I Requirements and Implementation Schedule

104. Upon reviewing the record, we deny BellSouth's petition to revise Section 20.18(d) of the Commission's Rules to require covered carriers to pass ANI *or* "pseudo-ANI," not *both* ANI and "pseudo-ANI."²⁶⁵ Contrary to the BellSouth claim that it is not technologically feasible to pass *both* types of information at this time, the record indicates that it is not only technically feasible, but that the Phase I requirements are already being successfully implemented by carriers.²⁶⁶ While BellSouth's claim is based on the assumption that it is not currently possible to transmit 10-digit directory numbers through the LEC switch without major infrastructure upgrades because of the limited capabilities of the existing wireline-based 911 system, the record indicates that new technology can now provide for transmission of 10-digit telephone numbers using existing LEC systems. XYPOINT, for example, contends that its product can comply with

²⁶² *Id.*; CTIA Petition at 14-15.

²⁶³ See TIA Petition at 7; CTIA Petition at 14-15.

²⁶⁴ Alliance Opposition at 10; See also CTIA Petition at 15; Motorola Reply at 5.

²⁶⁵ See BellSouth Petition at 5.

²⁶⁶ For example, the Phase I and Phase II E911 features have been successfully tested in New Jersey. See New Jersey *Ex Parte* Filing (May 21, 1997).

the Phase I requirements without requiring any LEC upgrades.²⁶⁷ Proctor also claims that its product, Cell-Link System, fully satisfies the Phase I requirements using the existing 911 network, and that it has been implemented in the State of Washington by US West.²⁶⁸ *Ex parte* comments by the Coalition, of which Bell South is a member, also indicate that 10 digit ANI and pseudo-ANI can both be transmitted to PSAPs if appropriate trunks are used.²⁶⁹

105. Moreover, we believe that the progress of TIA's Committee TR 45.2 standards will help resolve any remaining issues related to the implementation of the Phase I requirements.²⁷⁰ The more flexible definition of "pseudo-ANI" we are adopting in this Order should also facilitate carrier compliance. Based on current technological developments and the progress made by the industry standards-setting bodies, therefore, we find that there is no reason to modify or delay the Phase I requirements at this time. Thus, we also deny Nextel's request to delay the Phase I implementation schedule for one or two years. The modifications and clarifications we are adopting should make it easier for carriers to comply with the April 1, 1998 final deadline, most carriers appear ready to comply, and any delay would impair public safety. To the extent that Nextel or other carriers have particular problems meeting the Phase I implementation deadline, they may request specific waivers, subject to the requirements described in the *E911 Report and Order*²⁷¹ and this section.²⁷²

106. In its petition, BellSouth also claims that, in the absence of any revision to the requirements, the number of carriers requesting waivers may equal or exceed the number of carriers complying with the Phase I implementation schedule. BellSouth contends that new selective routers must be installed in LEC networks in order to pass 10 digit ANI and "pseudo-ANI."²⁷³ In the *E911 First Report and Order*, the Commission stated that the inability of a LEC to transmit 10-digit telephone numbers and cell site information can be a basis for a waiver of the Phase I requirements, based on our understanding that the upgrade of the existing LEC networks

²⁶⁷ XYPOINT Petition at 1-2. *See also* XYPOINT *Ex Parte* Filing (Mar. 27, 1997).

²⁶⁸ Proctor *Ex Parte* Filing (June 13, 1997).

²⁶⁹ Wireless E911 Coalition *Ex Parte* Filing at 13 (July 10, 1997).

²⁷⁰ The TR-45 (Mobile & Personal Communications Public 800 Standards) committee is within TIA's Mobile and Personal Communications Division (MPCD), developing performance, compatibility, interoperability and service standards for cellular telephone systems in the 800 MHz spectrum. *See* <http://www.industry.net/orgunpro/tia>.

²⁷¹ 11 FCC Rcd at 18710 (para. 66).

²⁷² *See* para. 0, *infra*.

²⁷³ BellSouth Petition at 5-7.

is a prerequisite to compliance with the Phase I requirements.²⁷⁴

107. The record indicates, however, that it is currently feasible to comply with the Phase I requirements based on the current wireline E911 network, without incurring substantial upgrades either to LEC networks or to PSAP equipment. Considering these technological developments, we expect covered carriers to explore all available options, including non-LEC-based solutions, before filing a waiver application. As in the case of a waiver based on a carrier's own equipment upgrade, we will also require a carrier to submit a deployment schedule for meeting the Phase I requirements as a part of any waiver request based on a LEC's capability.

c. Obligation To Provide Call Back Capability

108. Some petitions seek clarification of the call back obligation, contending that carriers cannot always provide a call back number, or reliable call back capability. In the *E911 First Report and Order*, we stated that transmission of "code-identified" 911 calls will be useful in enabling PSAPs, *in some cases*, to call back the person seeking emergency assistance if the person's 911 call is disconnected.²⁷⁵ Thus, the Commission recognized that call back information may not be available for handsets not currently in active service.²⁷⁶ Because the language in Section 20.18(d) of the Commission's Rules did not clarify this limitation, however, we grant the petitioners' request by clarifying that where the handset's directory number is not known to the serving carrier, the carrier's obligations under this section extend only to delivering 911 calls to PSAPs. Therefore, covered carriers will not be required to provide reliable call back numbers to PSAPs in the case of mobile units that are not associated with a dialable telephone number (for example, because they were designed or offered on an originate-only rate plan, they were never initialized, or the subscription has lapsed).²⁷⁷ Carriers will be expected to transmit all calling party information that is compatible with their systems for 911 calls from validated customers.

109. While we acknowledge that it is not currently possible for carriers to provide reliable call back numbers for all wireless 911 calls, and it is unlikely that the capabilities can be

²⁷⁴ *E911 First Report and Order*, 11 FCC Rcd at 18710 (para. 66).

²⁷⁵ *Id.* at 18694 (para. 35).

²⁷⁶ *Id.* at 18694-96 (paras. 35, 38).

²⁷⁷ See TIA Petition at 10-11. SBMS, BellSouth, CTIA, and PCIA also claim that call back is available only when the caller is a current subscriber of the carrier or of a carrier which has a roaming agreement with the carrier. See SBMS Petition at 6-8; BellSouth Petition at 8-9; CTIA Petition at 6-7; PCIA Petition at 6-7; see also Coalition *Ex Parte* Filings (June 4, 1997, July 10, 1997, August 8, 1997); GTE *Ex Parte* Filing (July 7, 1997); AirTouch Additional Comments at 6-7; AT&T Additional Comments at 1-2; BANM Additional Comments at 5-6; CTIA Additional Comments at 6-7; NENA Additional Comments at 4-5; SBMS Additional Comments at 3; 360° Communications Additional Comments at 2.

developed, tested, and implemented prior to the scheduled April 1, 1998, implementation date, we urge the wireless industry to continue their efforts to evaluate and develop these capabilities. In particular, we note Alliance's claim that call back capability is technically feasible in almost all situations, including "non-code identification" 911 calls,²⁷⁸ while also noting the various rebuttals to that claim.²⁷⁹

110. While parties argue that Alliance's proposed solution is fraught with problems, and that the time and costs associated with developing the solution advocated by Alliance would be prohibitive,²⁸⁰ they also concede that it may be possible in the future to create unique call back capabilities for non-service initialized handsets.²⁸¹ SBMS, for example, claims that substantial development work by switch manufacturers, along with network reconfiguration by wireless carriers, would be required to allow carriers to provide reliable call back numbers for all wireless 911 calls.²⁸² Because the present record is insufficient to evaluate Alliance's proposed solution, however, we ask signatories to the Consensus Agreement and other interested parties to include a status report on this issue as part of their scheduled annual reports to us.²⁸³ We will revisit this issue when we resolve remaining issues in later stages of this proceeding.

E. Phase II E911 Requirements

1. Background and Pleadings

²⁷⁸ See Alliance Opposition at 6; Alliance *Ex Parte* Filings (July 11, 1997, Aug. 4, 1997); see also Alliance Comments on *E911 Second NPRM*, Appendix D.

²⁷⁹ See AirTouch Additional Comments at 6-7; AT&T Additional Comments at 1-2; BANM Additional Comments at 5-6; CTIA Additional Comments at 6-7; NENA Additional Comments at 4-5; SBMS Additional Comments at 3; 360^o Communications Additional Comments at 2; Coalition *Ex Parte* Filing (Aug. 8, 1997).

²⁸⁰ See AirTouch Additional Comments at 6-7; AT&T Additional Comments at 1-2; BANM Additional Comments at 5-6; CTIA Additional Comments at 6-7; NENA Additional Comments at 4-5; SBMS Additional Comments at 3; 360^o Communications Additional Comments at 2; Coalition *Ex Parte* Filing (Aug. 8, 1997); BellSouth Reply at 4-6.

²⁸¹ See, e.g., BellSouth Reply at 4; AirTouch Additional Comments at 8-9.

²⁸² SBMS Petition at 6-8.

²⁸³ We note that the text of the *E911 First Report and Order* indicates that the annual report of the signatories to the Consensus Agreement, PCIA, and Alliance must be filed not later than 30 days following the end of each annual period after the effective date of the *E911 First Report and Order* (i.e., October 31). See, e.g., *E911 First Report and Order*, 11 FCC Rcd at 18742 (para. 132). The ordering clause in the *E911 First Report and Order*, however, requires these parties to file joint annual reports within 30 days after the end of each calendar year (i.e., January 30). *E911 First Report and Order*, 11 FCC Rcd at 18752 (para. 162). We wish to take this opportunity to clarify that we will consider annual reports filed within 30 days after the end of the calendar year to be timely filed.

111. For E911 Phase II, we adopted rules requiring that, as of October 1, 2001, covered carriers provide to the designated PSAP the location of a 911 call by longitude and latitude within a radius of no more than 125 meters in 67 percent of all cases.²⁸⁴ Based on the record and reports from actual trials of ALI technologies, we determined that the degree of accuracy should be calculated through the use of Root Mean Square (RMS) methodology.²⁸⁵ To comply with this requirement, covered carriers must attempt to determine mobile unit location in each case in which a 911 call transits their system. For purposes of applying the RMS methodology, we stated that the level of accuracy achieved by the carrier shall be calculated based upon all 911 calls originated in a service area.²⁸⁶

112. In their petitions for reconsideration, BellSouth, PCIA, Omnipoint, and Nokia ask the Commission to reconsider the Phase II ALI requirements, contending that the five-year implementation schedule is premature. BellSouth, for example, urges the Commission to eliminate the current five-year Phase II deadline in favor of convening periodic industry meetings throughout the next two years to evaluate the status of end-to-end solutions.²⁸⁷ PCIA claims that the implementation date is not feasible for PCS and SMR systems, arguing that the current location technology may not work with PCS and SMR interfaces and no digital systems have been field tested.²⁸⁸ Similarly, Omnipoint raises several technical issues related to the PCS-1900 and IS-661 system.²⁸⁹ Nokia also argues that it is too early to determine the feasible accuracy for the different technologies, and urges the Commission to defer the Phase II implementation schedule.²⁹⁰

113. On the other hand, other parties, including public safety organizations and location technology developers, urge the Commission to maintain the current Phase II implementation schedule. I-95 Coalition, for example, contends that the accuracy requirement is feasible with the current technology and that any delay in the current requirements would not be warranted.²⁹¹ The

²⁸⁴ *E911 First Report and Order*, 11 FCC Rcd at 18712 (para. 71); *see* 47 C.F.R. • 20.18(e).

²⁸⁵ *Id.* at 18711 (para. 70). Root Mean Square is a method used to calculate the probability that the location information will be accurate. Based on the tests performed by Associated Group and KSI, RMS probability results in accuracy of location measurements within 125 meters two-thirds to three-quarters of the time. *See* Consensus Agreement at 2-3.

²⁸⁶ *E911 First Report and Order*, 11 FCC Rcd at 18712 (para. 71).

²⁸⁷ BellSouth Petition at 11-12.

²⁸⁸ PCIA Petition at 12-13.

²⁸⁹ Omnipoint Petition at 16-19.

²⁹⁰ Nokia Petition at 3-4.

²⁹¹ I-95 Coalition Opposition at 1-2.

Joint Commenters and KSI also argue that granting the PCIA and BellSouth petitions would delay the benefits of location technology for as much as three more years, to the detriment of public safety.²⁹²

114. With regard to the accuracy standard of the Phase II requirement, some petitioners seek modification or clarification of our 125 meter standard by longitude and latitude using RMS. For example, TIA asks that the Commission require carriers to identify the location of 911 callers within 125 meters using measurement and compliance procedures other than longitude and latitude, as determined by industry standards-setting groups.²⁹³ Both the Ameritech and TIA petitions for reconsideration request that the Commission allow other measurement standards, such as Universal Transverse Mercator (UTM) coordinates and State Plane Coordinate Systems (SPCS).²⁹⁴ In response to these claims, however, KSI argues that there is no need to modify the longitude-latitude form, because this presentation of location is the distortion-free form used to express a position on the globe unambiguously and accurately.²⁹⁵

115. After the close of the formal pleading cycle for reconsideration petitions, many parties filed *ex parte* presentations regarding ALI technologies, including network-based solutions and handset-based technologies using the GPS satellite system.²⁹⁶ Several of them made inquiries with respect to whether handset-based technologies using the GPS satellite system could comply with the Commission's rules.²⁹⁷ Other parties urge the Commission not to delay the Phase II implementation schedule, claiming that their products are currently capable of meeting the Phase II ALI requirement.²⁹⁸ TruePosition, for example, contends that its system is ready to be

²⁹² Joint Commenters Opposition at 4-5; KSI Opposition at 3-6.

²⁹³ TIA Petition at 18-19.

²⁹⁴ *Id.*; Ameritech Petition at 7.

²⁹⁵ KSI Opposition at 6-9.

²⁹⁶ See, e.g., Cambridge Positioning Systems *Ex Parte* Filing (Mar. 6, 1997); State of New Jersey, Office of Emergency Telecommunications Services (OETS) *Ex Parte* Filing, "The First 100 Days; A Report on the New Jersey Wireless Enhanced 911 System Trial," (May 21, 1997); TruePosition *Ex Parte* Filings (Aug. 7, 1997; Sept. 9, 1997); SnapTrack *Ex Parte* Filings (June 26, 1997, July 17, 1997); U.S. Wireless *Ex Parte* Filing (July 2, 1997, Oct. 20, 1997); Motorola *Ex Parte* Filing (Sept. 26, 1997); Tandler Cellular *Ex Parte* Filing (Oct. 14, 1997); KSI *Ex Parte* Filing (Oct. 17, 1997); Zoltar Further Reply Comments.

²⁹⁷ See, e.g., SnapTrack *Ex Parte* Filing (June 26, 1997); Tandler Cellular *Ex Parte* Filing (Oct. 14, 1997); Motorola *Ex Parte* Filing (Sept. 26, 1997); Zoltar Further Reply Comments.

²⁹⁸ See New Jersey OETS *Ex Parte* Filing (May 21, 1997); TruePosition *Ex Parte* Filings (Aug. 7, 1997; Sept. 9, 1997); SnapTrack *Ex Parte* Filings (June 26, 1997, July 17, 1997); U.S. Wireless *Ex Parte* Filings (July 2, 1997, Oct. 20, 1997); Tandler Cellular *Ex Parte* Filing (Oct. 14, 1997); KSI *Ex Parte* Filing (Oct. 17, 1997).

implemented after successful trials in the State of New Jersey.²⁹⁹

116. In addition, TruePosition has provided the Commission with a recent public poll result which, according to TruePosition, demonstrates strong public support for the Commission's E911 Phase II requirements.³⁰⁰ According to the E911 Public Opinion Poll cited by TruePosition, the public values E911 location capability much more than the traditional caller ID functions or voice mail options commonly offered in wireless packages.³⁰¹ Regarding the implementation schedule of the Phase II requirements, 42 percent of the people polled think that companies should be required to offer the ALI service sooner than 2001, while 35 percent support the current 2001 schedule and 17 percent support delay of the implementation schedule.³⁰² Ameritech, however, urges the Commission not to rely on the conclusions of the E911 Public Opinion Poll cited by TruePosition, in the absence of additional information allowing the Commission to verify that the survey is reliable.³⁰³

2. Discussion

a. Phase II Implementation Schedule

117. Based on the record and new evidence presented to us after the adoption of the *E911 First Report and Order*, we reaffirm our commitment to firm target dates for wireless E911, and we deny portions of petitions for reconsideration filed by BellSouth, PCIA, Omnipoint, and Nokia that deal with the Phase II implementation schedule. As an initial matter, a petition for reconsideration must generally rely on facts which have not previously been presented to the Commission, rather than reiterating arguments made prior to the Commission's final action.³⁰⁴ While these petitioners urge the Commission to defer or modify the Phase II implementation schedule, we find that they fail to present new facts that warrant reconsideration of our decision.

²⁹⁹ TruePosition *Ex Parte* Filings (Aug. 7, 1997; Sept. 9, 1997).

³⁰⁰ See "Wireless Enhanced 911 Survey Findings," prepared by Public Opinion Strategies, attached to TruePosition *Ex Parte* Filing (Sept. 9, 1997) (E911 Public Opinion Poll); see also TruePosition Further Comments at 2. Public Opinion Strategies conducted a national poll of 800 wireless telephone users or people who considered buying a wireless telephone in the past year. Public Opinion Strategies indicates that the poll was completed on July 31-August 3, 1997, and has a margin of error of ± 3.45 percent, in 95 out of 100 cases. Of the respondents, 70 percent were people who are current subscribers, while 30 percent were individuals who over the past year have considered buying a wireless phone.

³⁰¹ E911 Public Opinion Poll at 3; TruePosition Further Comments at 2. Given a list of five possible wireless services, 61 percent of those polled chose emergency 911 location service as the most important to them personally.

³⁰² *Id.* at 4.

³⁰³ Ameritech Further Reply Comments at 1-3.

³⁰⁴ See Section 1.429 of the Commission's Rules, 47 C.F.R. • 1.429.

118. BellSouth and Nokia argue that Phase II ALI requirement is premature, in that technical feasibility is not proven for the principal radiolocation technologies discussed on the record.³⁰⁵ To support its petition to defer the Phase II implementation schedule, BellSouth presents the results of an informal survey of more than 150 equipment vendors as to their ability to provide location information, claiming that no respondent provided assurance that any solution would function across the diversity of BellSouth's systems.³⁰⁶ In response to BellSouth's claim, however, KSI contends that it referred BellSouth to KSI's filings in this proceeding and preferred to reconvene discussions with BellSouth, rather than providing a detailed description of planned innovations.³⁰⁷

119. In addition, in its *ex parte* presentation, Cambridge Positioning Systems (CPS) claims that it has developed technology capable of identifying positions to within 75 meters using the GSM networks at 900 MHz.³⁰⁸ We also note that Nokia's petition does not provide any new facts or circumstances that have not previously been presented to us prior to adoption of the *E911 First Report and Order*. In their opposition, the Joint Commenters urge that Nokia's and BellSouth's claims should be disregarded because the Commission made reasonable projections of the pace and affordability of new or developing technologies based on the facts presented in the record.³⁰⁹

120. In adopting the Phase II requirements, we found that the record supported the proposal made in the Consensus Agreement that the 5-year implementation schedule for ALI technology allowed adequate time to develop the currently available location technologies for various wireless systems, despite the fact that some commenters claimed it was premature to adopt such a mandatory schedule.³¹⁰ Actual testing and other evidence also convinced us that the 125 meter RMS standard is currently technically feasible and represents a satisfactory initial minimum standard.³¹¹ Moreover, technical developments and tests since the adoption of the *E911 First Report and Order* indicate that several location technology vendors have already proved the viability of the required 125 meter RMS standard.³¹² Even if this standard were not currently

³⁰⁵ BellSouth Petition at 10-12; Nokia Petition at 3-4.

³⁰⁶ See Appendix to BellSouth Petition.

³⁰⁷ KSI Opposition at 5-6.

³⁰⁸ See CPS *Ex Parte* Filing (Mar. 6, 1997).

³⁰⁹ Joint Commenters Opposition at 4.

³¹⁰ See *E911 First Report and Order*, 11 FCC Rcd at 18711-12 (paras. 70-72).

³¹¹ *Id.* at 18711 (para 70).

achievable, we also agree with the Joint Commenters that its achievement is a reasonable projection of the pace of this technology. Moreover, we believe that setting a firm date will encourage entrepreneurial efforts and investment to serve this market.

121. While PCIA and Omnipoint contend that the current location technologies may not work for various digital systems,³¹³ particularly for PCS systems, we believe that the Phase II implementation schedule is sufficient to allow parties to develop necessary technology for digital wireless systems. Considering the importance of providing location information during emergencies and the passage of time since the establishment of PCS and the initiation of the E911 proceeding, we determine that the 5-year implementation schedule should not be delayed any longer and we urge the PCS industry and other wireless digital system providers to continue their efforts to comply with the rules. When the Commission adopted rules establishing PCS in 1993, we expressed particular concern that unless E911 capability is designed into PCS equipment, dialing 911 from a PCS telephone would not be sufficient equivalency to dialing 911 from a wireline telephone.³¹⁴ We believe that the PCS and other digital system providers had sufficient notice to prepare for the implementation of the E911 features since 1993, and it is not necessary to delay the October 1, 2001 implementation schedule at this time.

122. In view of the recent development of, and demand for, wireless location products and services, we are also confident that our 5-year implementation schedule for the Phase II requirement is technically and commercially feasible for all wireless services, including the digital systems. Although we recognize the technical challenges for the new digital systems, such as TDMA and CDMA, we encourage the wireless carriers, equipment manufacturers, and the location technology vendors to continue their efforts to deploy ALI technologies for digital wireless systems as scheduled, rather than asking for delay so far in advance. Moreover, if a covered carrier cannot comply with the Phase II requirements by October 1, 2001, despite its

³¹² See, e.g., State of New Jersey, OETS *Ex Parte* Filing (May 21, 1997); TruePosition *Ex Parte* Filings (Aug. 7, 1997; Sept. 9, 1997); U.S. Wireless *Ex Parte* Filings (July 2, 1997, Oct. 20, 1997); KSI *Ex Parte* Filing (Oct. 17, 1997); see also "Wireless Communications Veterans form Cell-Loc Inc. to tackle growing wireless location market," Business Wire via Individual Inc., June 2, 1997 (reporting Cell-Loc's first product, Cellocate, that, according to the manufacturer, offers equipment manufacturers and wireless carriers a highly accurate, easily scalable, low-cost wireless location solution that meets all the Commission's E911 requirements).

³¹³ Omnipoint argues that PCS-1900 and IS-661 technologies cannot offer the same accuracy as analog cellular technology because (1) PCS-1900 uses frequency hopping and the hopping sequence must be tracked; (2) PCS-1900 is a TDMA system and IS-661 is a TDMA-CDMA system, both transmitting for a very short time; (3) PCS-1900 does not transmit a signal when the calling party is not speaking; (4) PCS-1900 systems are designed for low antenna heights and small cells in urban areas, which are not clear of urban clutter; and (5) PCS-1900 systems are not designed for major overlap, limiting the number of sites to determine the caller's position. Omnipoint Petition at 16-18.

³¹⁴ See Amendment of the Commission's Rules to Establish New Personal Communications Services, GEN Docket No. 90-314, 8 FCC Rcd 7700, 7756 (paras. 139-140) (1993) (*PCS Second Report and Order*).

good faith efforts, such carrier may file a waiver request to us along with its implementation plan, as we indicated in the *E911 First Report and Order*. Therefore, we agree with the Joint Commenters and KSI that granting petitions to reconsider the Phase II implementation schedule due to the technical uncertainties for certain digital systems would not be in the public interest and could unnecessarily delay the benefits of location technology. The Commission will also continue to consider whether requirements establishing a higher degree of ALI accuracy should be adopted to take effect after the close of the 5-year Phase II period.³¹⁵

123. One further point deserves mention. In setting deadlines and benchmarks for ALI, our policy has been to be technologically and competitively neutral. As we indicated in the *E911 First Report and Order*, our intention was to adopt general performance criteria, rather than extensive technical standards, to guide the development of wireless 911 services.³¹⁶ Our goal is to ensure the rapid, efficient, and effective deployment of ALI as part of E911, in order to promote the public safety and welfare. Thus, we have not endorsed or mandated any particular ALI technology or approach, although we did recognize in the *E911 First Report and Order* that the parties at that time expected that ALI technology would be based in the network, not in the handset.³¹⁷

124. Since the *E911 First Report and Order* was adopted, however, we have received several inquiries with respect to whether other technologies, such as handset-based technologies using the GPS satellite system, could comply with our rules.³¹⁸ To clarify our policies, we wish to reaffirm that our rules and their application are intended to be technologically and competitively neutral. We do not intend that the implementation deadline, the accuracy standard, or other rules should hamper the development and deployment of the best and most efficient ALI technologies and systems. Manufacturers and other interested parties who believe that our rules could be applied in a way that might unreasonably hamper the deployment of effective ALI solutions may raise this issue in the ongoing rulemaking or by requests for waivers. We do not expect to delay the 2001 deadline, but would consider proposals to phase in implementation, especially to the extent a proposal also helps achieve the further improvements in ALI capabilities we discussed in the *E911 Further NPRM*.³¹⁹

³¹⁵ See 11 FCC Rcd at 18743 (para. 137).

³¹⁶ *E911 Report and Order*, 11 FCC Rcd at 18714 (para. 76).

³¹⁷ See *id.* at 18732 (para. 111).

³¹⁸ See, e.g., SnapTrack *Ex Parte* Filing (June 26, 1997); Tandler Cellular *Ex Parte* Filing (Oct. 14, 1997); Motorola *Ex Parte* Filing (Sept. 26, 1997); Zoltar Further Reply Comments.

³¹⁹ We note that Zoltar in its Further Reply Comments requests the Commission to modify the Phase II requirements to be applicable only to new wireless phones. Because this issue was not put out for further comments and thus no parties had an opportunity to respond to Zoltar's proposal, however, we decide to treat Zoltar's pleading on this issue as an *ex parte* request. We may consider reopening the record on this issue upon a

b. ALI Accuracy Standard

125. With respect to the Phase II ALI accuracy standard of 125 meters using RMS methodologies, the I-95 Coalition argues that clarification of the accuracy requirement might be necessary, indicating that some parties might interpret the requirements as being met if the carrier is able to locate 67 percent of the mobile units with 100 percent accuracy or some combination of located users and levels of accuracy.³²⁰ Based on their concern that carriers might interpret the requirement as not requiring deployment in rural areas, the I-95 Coalition emphasizes the need for position location in rural as well as urban environments.³²¹

126. Section 20.18(e) of the Commission's Rules requires that covered carriers identify the latitude and longitude of a mobile unit making a 911 call, within a radius of no more than 125 meters using RMS measurement.³²² Based upon the Consensus proposal, we determined in the *E911 First Report and Order* that the RMS methodology should be applied to reach this level of accuracy in identifying the location of *each* 911 call.³²³ To comply with the rules, therefore, we stated that a carrier must deploy the ALI technology in its service area and determine mobile unit location in *each case* in which a 911 call transits its system.³²⁴ To the extent that the discussion in the *E911 First Report and Order* may be unclear, we clarify that, as of October 1, 2001, licensees subject to this section must provide to the designated PSAP the location of all 911 calls by longitude and latitude such that the RMS is 125 meters or less,³²⁵ which would represent

formal request. *See* Zoltar Further Reply Comments at 3-4.

³²⁰ I-95 Coalition Opposition at 1-2.

³²¹ *Id.*

³²² 47 C.F.R. • 20.18(e).

³²³ *E911 First Report and Order*, 11 FCC Rcd at 18712 (paras. 71-72).

³²⁴ *Id.*

³²⁵ With a Gaussian-type (bell curve) distribution, an RMS value of 125 meters would result in approximately 67 percent to 75 percent of all calls having an accuracy of 125 meters or less. Maintaining the RMS approach as our primary standard for defining the prescribed accuracy for E911 calls demonstrates our concern for the accuracy of *all* calls, not just those that are within 125 meters. Under the RMS approach, the degree of error is relevant to assessing accuracy, including errors beyond 125 meters. Such errors are considered to be more tolerable if they are relatively small. This helps assure emergency service personnel that the location of the call is probably relatively near the reported location even if not within 125 meters. The value of E911 ALI for emergency service providers would be quite different if the accuracy of 25 percent or 33 percent of all calls was ignored and an error of, for example, 126 meters was treated as of equal significance with an error of 1,126 meters or of no location information at all.

approximately a 67 percent to 75 percent probability that the reported location would be within a 125 meter radius of the caller's actual location. This would include 911 calls made by roamers in a carrier's service area. Therefore, we expect that any Phase II ALI technology deployed by a carrier, whether it is a network-based approach, or any other approach, would satisfy this requirement.³²⁶

127. Other commenters urge that carriers be allowed to provide location information using data other than longitude and latitude.³²⁷ TIA urges the Commission to eliminate the longitude and latitude requirements and replace them with their equivalent such as UTM coordinates, contending that UTM coordinates do not have the disadvantages of longitude coordinates, which get closer together as the latitude moves away from the equator.³²⁸ Ameritech also requests the Commission replace the phrase "longitude and latitude" in Section 20.18(e) with the phrase "by longitude and latitude or equivalent, available and feasible technological measurement standards," arguing that longitude and latitude measurements may not be the most suitable for emergency telecommunications purposes.³²⁹ Motorola also requests that the requirement be modified to require accuracy as "within a 125 meter radius using measurement and compliance procedures as determined by industry standards group."³³⁰ On the other hand, KSI argues that the Commission correctly specified accuracy in terms of longitude and latitude, which has advantages of establishing the basis for common interface and system-application designs as well as providing cost effective management of the system in the PSAPs.³³¹

128. We believe that it is not in the public interest to revise our rules at this time. While we recognize the intention of Ameritech and TIA to provide flexible ways to comply with our rules, we believe that revision of the accuracy standard could in fact cause more confusion and delay in the deployment of the ALI systems, particularly for PSAPs that need to upgrade their systems to utilize the ALI data. The comments also do not provide a clear basis for concluding that other methods are superior. It is not apparent, for example, that UTM coordinates are preferable in practice because longitude coordinates are closer together away from the Equator.

³²⁶ The parties in the Consensus Agreement and the record in the proceeding generally assured that an effective solution for meeting ALI requirements could use network-based technology without necessitating any handset modifications. It is our understanding that an approach based partly on upgraded handsets might be feasible. See CPS *Ex Parte* Filing (Mar. 6, 1997); SnapTrack *Ex Parte* Filing (July 21, 1997).

³²⁷ See Ameritech Petition at 7; TIA Petition at 17-19; KSI Opposition at 7-9; Motorola Reply at 7-9.

³²⁸ TIA Petition at 17-19.

³²⁹ Ameritech Petition at 7.

³³⁰ Motorola Reply at 7.

³³¹ KSI Opposition at 7-9.

Latitude and longitude are the most universally known method for unambiguously identifying location. PSAPs, of course, can also translate this information into any other format they find useful.

129. The successful trial results in New Jersey convince us that the longitude and latitude measurement standard provides reliable location information relating to 911 callers in emergency situations without significant delay.³³² Moreover, we agree with KSI that the use of the latitude-longitude format, a common standard format for location information, will allow the PSAP facilities to provide for the cost-effective management of E911 data. Considering the fact that the record in this proceeding supported the longitude and latitude measurement as a reasonable solution for the emergency situations, and in view of recent developments and actual testing results, we find that there is no need to modify our decision at this time and we thus deny the portion of the Ameritech and TIA petitions that request revision of our ALI accuracy standards. Similarly, we find that Motorola's proposal to allow industry standards-setting groups to determine measurement and compliance procedures could cause unnecessary delay in deployment of the ALI features. To the extent that industry standards-setting groups develop solutions to ALI problems that would improve performance, we will consider appropriate changes to the wireless E911 rules.

F. Other Issues

1. Limitation of Liability

130. In the *E911 First Report and Order*, the Commission decided not to exempt providers of E911 service from liability for certain negligent acts by preempting state tort law.³³³ We found that the record did not support the arguments that a general exemption from liability is essential to achieving the goals of the Communications Act.³³⁴ In particular, we noted that displacing the jurisdiction of state courts over tort suits for negligence in installation, performance, provision, or maintenance of E911 systems is not necessary to the inauguration of E911 service.³³⁵ Because there was no evidence that specific state regulations are incompatible with national E911 goals, we determined not to preempt any state laws at this time and to examine the need for specific preemption in the future on a case-by-case basis.³³⁶

³³² See New Jersey *Ex Parte* Filing (May 21, 1997).

³³³ *E911 First Report and Order*, 11 FCC Rcd at 18727 (para. 99).

³³⁴ *Id.* at 18728 (para. 100).

³³⁵ *Id.*

³³⁶ *Id.* at 18730 (para. 105).

131. In response to concerns raised by some parties that the Wiretap Act³³⁷ could affect 911 operations or the legal liability of carriers, the Commission indicated in the Order that it had requested the Department of Justice to provide a legal opinion of the relationship between the Wiretap Act and the Commission's E911 rules.³³⁸ In a Public Notice issued December 10, 1996, the Commission announced that it had received a Department of Justice Memorandum Opinion finding that the wireless E911 rules do not require persons subject to those rules to engage in any practices that might result in a violation of the Wiretap Act or other applicable provisions of law.³³⁹

132. Several petitioners seek reconsideration of our decision not to immunize wireless carriers from liability for 911 calls. These parties assert that the failure of the Commission to provide limited liability protection will be an obstacle to E911 implementation, contending that, without Federal liability limitations, state tort actions could interfere with Federal priorities for a workable long-term E911 system and for rapid introduction of more competitive mobile services.³⁴⁰ In addition, they claim that, if covered carriers are required to provide access to 911 for all callers, including those with whom they do not have any contractual relationship, they cannot contractually insulate themselves from liability when non-subscribers use their systems.³⁴¹ AT&T also requests that the Commission make the Department of Justice's opinion available for review and comments.³⁴²

133. In its petition, Ameritech requests that the Commission provide covered carriers with a limitation of liability, or alternatively, establish Federal guidelines for liability limitations and encourage public safety planning groups to work with the states to adopt such limitations.³⁴³

³³⁷ The Communications Assistance for Law Enforcement Act of 1994 ("CALEA," also referred to as "Wiretap Act"), among other things, requires telecommunications carriers to ensure that their equipment is capable of permitting the Government (pursuant to a court order or other lawful authorization) to access certain "call-identifying information" that is reasonably available to the carrier. See Section 1002(a) of the Wiretap Act, 47 U.S.C. • 1002(a).

³³⁸ *E911 First Report and Order*, 11 FCC Rcd at 18727 (para. 98).

³³⁹ Public Notice, "Memorandum Opinion Issued by Department of Justice Concludes that Commission's Recently Adopted Wireless Enhanced 911 Rules Are Consistent with Wiretap Act," DA 96-2067, released Dec. 10, 1996.

³⁴⁰ See, e.g., Omnipoint Petition at 6; AT&T Petition at 8.

³⁴¹ SBMS Petition at 8-11; Omnipoint Petition at 6; BellSouth Petition at 9; AT&T Petition at 7; Ameritech Petition at 11.

³⁴² AT&T Petition at 7-8.

³⁴³ Ameritech Petition at 14-15. Ameritech also argues that many states do not have specific laws limiting the liability of entities involved in the provision of 911 services. It notes that where states have adopted liability

In addition, Ameritech asserts that the Commission could make the 911 service deployment obligation contingent upon public safety organizations indemnifying carriers for negligence and other unintended errors, as suggested by US West's Comment on the Consensus Agreement in this proceeding.³⁴⁴ AT&T argues that wireless carriers should be subject to the same "gross and wanton negligence" standard applied to wireline carriers by many states, asserting that the Commission's concern about displacing state authority in this context is misplaced.³⁴⁵ Alternatively, AT&T requests that the Commission require states to treat wireless carriers the same as wireline carriers with respect to liability, contending that such parity is consistent with the statutory goal of according similar regulatory treatment to providers of functionally equivalent services.³⁴⁶

134. SBMS proposes that the Commission impose a liability limitation for providing 911 services and mandate that anyone using the carrier's network who does not have a contractual relationship with a carrier is subject to the carrier's standard terms and conditions.³⁴⁷ In addition, SBMS requests that the Commission determine that a carrier's inability to complete a call or provide the information required by this proceeding shall not be evidence of negligence.³⁴⁸ BellSouth also argues that carriers cannot control the accuracy of information generated from non-service initialized handsets, and thus should not be liable for inaccurate information provided to PSAPs with regard to such handsets.³⁴⁹

135. On the other hand, Joint Commenters and TX-ACSEC oppose the petitions seeking reconsideration of our decision not to provide Federal protection from liability.³⁵⁰ They reason that, because existing state laws developed over the years for wireline 911 operations provide substantial protection against the privacy and ordinary negligence claims of most callers, and because state legislatures are to clarify that the same limitation of liability clause would apply to all service providers, it is not necessary for the Commission to preempt state tort law to achieve

protection, it usually applies to the governmental or public safety employees, not to the telephone company, and if the telephone company is mentioned, it is likely that the law applies to wireline telephone companies and not to the wireless carriers. Ameritech Reply at 5-6, citing Fla. Stat. ch. 365.171(14) (1995).

³⁴⁴ Ameritech Petition at 14, citing US West Comments on Consensus Agreement at 10.

³⁴⁵ AT&T Petition at 7-8.

³⁴⁶ *Id.* at 7.

³⁴⁷ SBMS Petition at 8-11.

³⁴⁸ *Id.* at 11.

³⁴⁹ BellSouth Petition at 9.

³⁵⁰ Joint Commenters Opposition at 3; TX-ACSEC Opposition at 4-6.

its goal at this time.³⁵¹ TX-ACSEC, for example, states that a Texas state district court has held that wireless carriers are covered by the same broad statutory limitation of liability protection as those afforded wireline carriers under Texas law.³⁵² In addition, Joint Commenters argue that state tort laws on wireless carrier liability would be among those powers reserved to non-Federal authorities by Section 332(c)(3) of the Communications Act.³⁵³ They also object to Ameritech's and US West's suggestion that public safety organizations indemnify carriers.³⁵⁴

136. In the September 25, 1997 Joint Letter, the parties request that the Commission defer any decisions regarding carrier liability until the interested parties develop consensus positions.³⁵⁵ While supporting industry's commitment to continue negotiations with other interested parties, Congresswoman Eshoo urges the Commission not to delay resolution of issues under reconsideration.³⁵⁶ Parties filing further comments and reply comments generally support the proposal contained in the Joint Letter to defer any decision regarding the carrier liability issue.³⁵⁷ AT&T, however, contends that prompt resolution of the liability issue is critical.³⁵⁸ To the extent the Commission is concerned about preempting state tort law, AT&T proposes that the Commission "could issue a temporary default rule that would apply only where states have not resolved the issue."³⁵⁹ Nextel in its further comments also reiterates that the Commission should adopt a provision in this proceeding that would protect carriers from liability and that would preempt state laws to the extent they are inconsistent with the Commission's rules.³⁶⁰

137. None of the petitioners, however, presents arguments sufficient to persuade us to modify our determination that it is unnecessary to exempt providers of E911 service from liability for certain negligent acts and to preempt state tort law. As we noted in the *E911 First Report*

³⁵¹ *Id.*

³⁵² TX-ACSEC Opposition at 4.

³⁵³ Joint Commenters Opposition at 3.

³⁵⁴ *Id.*; TX-ACSEC Opposition at 4-6.

³⁵⁵ Joint Letter at 4.

³⁵⁶ Eshoo *Ex Parte* Letter (Sept. 29, 1997).

³⁵⁷ *See, e.g.*, AirTouch Further Comments at 1-2; BellSouth Further Comments at 3; CTIA Further Comments at 6-7; Joint Reply Comments at 1.

³⁵⁸ AT&T Further Comment at 3.

³⁵⁹ *Id.*

³⁶⁰ Nextel Further Comments at 9.

and Order, states have particular interests in telecommunications and public safety matters, including operation of 911 emergency services.³⁶¹ Although the Commission may preempt state regulation when preemption is necessary to protect a valid Federal regulatory objective,³⁶² we believe it is premature and speculative for the Commission to establish a national standard of liability protection in order to achieve rapid deployment of wireless E911 systems. As the Commission determined in the Order, "displacing the jurisdiction of state courts over tort suits for negligence in installation, performance, provision, or maintenance of E911 systems is not necessary to the inauguration of E911 service."³⁶³ Petitioners fail to persuade us that our decision to examine the need for specific preemption in the future on a case-by-case basis was wrong.

138. Petitioners' claims that the limitation of liability is necessary are not convincing, particularly considering the fact that major carriers are already transmitting all 911 calls and no evidence of liability problems is presented in the record of our reconsideration proceeding. Contrary to petitioners' speculative claim that current state laws are not "likely" to provide wireless carriers with adequate protection against liability, the record indicates that state legislative bodies and state courts are developing their own solutions to liability issues.³⁶⁴ While we recognize that not all states currently provide specific statutory limitation of liability protection for wireless carriers, we believe that state courts and state legislatures are the proper forums in which to raise this issue, not the Commission.³⁶⁵ For similar reasons, we deny AT&T's proposal that the Commission should ensure that wireless carriers are subject to the same "gross and wanton negligence" standard applied to wireline carriers by many states.³⁶⁶ In addition, as TX-

³⁶¹ *E911 First Report and Order*, 11 FCC Rcd at 18727 (para. 99).

³⁶² *E911 Notice*, 9 FCC Rcd at 6181 (para. 59); *E911 First Report and Order*, 11 FCC Rcd at 18729 (para. 104), citing *Louisiana Public Service Comm'n v. FCC*, 476 U.S. 355 (1986); *Illinois Bell Tel. Co. v. FCC*, 833 F.2d 104 (D.C. Cir. 1989); *California v. FCC*, 905 F.2d 1217 (9th Cir. 1990); *Texas Public Utility Comm'n v. FCC*, 886 F.2d 1325 (D.C. Cir. 1989); *North Carolina Utilities Comm'n v. FCC*, 522 F.2d 1036 (4th Cir.), *cert. denied*, 434 U.S. 874 (1977).

³⁶³ *E911 First Report and Order*, 11 FCC Rcd at 18728 (para. 100).

³⁶⁴ For example, the Alaska statute states that except for intentional acts of misconduct or gross negligence, a service supplier, local exchange telephone company, or mobile telephone company, including a cellular service company, and their employees and agents, are immune from tort liability that might be incurred in the course of installing, training, maintaining, or providing enhanced 911 systems or transmitting or receiving calls on the system. Alaska Stat. • 29.35.133; *see also* XYPOINT *Ex Parte* Filing, "Master Chart of State E911 Laws" (Mar. 27, 1997).

³⁶⁵ Based on XYPOINT's survey of state 911 legislation, Ameritech and Omnipoint argue that many states still do not have specific laws limiting the liability of entities involved in the provision of 911 services. *See* Ameritech Reply at 6; Omnipoint Reply at 3-4.

³⁶⁶ AT&T Reply at 7.

ACSEC's opposition proves, certain states are trying to revise their tort laws to provide the same limitation of liability to both wireline and wireless services.³⁶⁷

139. We also disagree with AT&T that a single uniform national standard of liability is required to achieve the goals of the Communications Act and that the Commission should preempt state tort law under Section 332(c) of the Act.³⁶⁸ While we recognize covered carriers' concern over potential exposure to liability in the provision of 911 services, we do not believe that the lack of a single national standard of liability should cause delay in implementation of effective wireless 911 services. Wireless carriers already transmit 911 calls without Federal preemption of state liability laws. Moreover, we do not believe that state tort laws dealing with 911 services should be considered as prohibited "rate and entry regulation of CMRS" under Section 332(c), at least without case-by-case evaluation. We find meritless AT&T's argument that the absence of protection against liability could have an unintended consequence of discouraging E911 deployment where PSAPs decline to hold carriers harmless, because covered carriers must deploy E911 services pursuant to our rules regardless of indemnification by the PSAPs.

140. As an alternative to a Federally mandated limitation of liability, petitioners also argue that the Commission should "require" states to treat wireless carriers the same as wireline carriers with respect to liability or "encourage" the public safety community to work with states to develop the necessary framework for indemnification agreements.³⁶⁹ Although we encourage the public safety community, wireless carriers, as well as state governments, to continue their efforts to develop mutually acceptable indemnification agreements, we affirm our prior decision that it is premature or unnecessary to preempt state laws at this time. We recognize, however, petitioners' claim that they cannot contractually insulate themselves from liability when non-subscribers use their systems.³⁷⁰ Because covered carriers are required to transmit 911 calls from all handsets regardless of subscription, we agree with SBMS that it would appear reasonable for a carrier to attempt to make the use of its network by a non-subscriber subject to the carrier's terms and conditions for liability.³⁷¹ We do not, however, seek to preempt any applicable state laws.

141. We also do not adopt AT&T's proposal that we establish a temporary default rule that would apply only where states have not resolved the issue.³⁷² This proposal was introduced

³⁶⁷ TX-ACSEC Opposition at 4-6.

³⁶⁸ AT&T Petition at 8.

³⁶⁹ See AT&T Reply at 8; Ameritech Reply at 7.

³⁷⁰ SBMS Petition at 8-11; Omnipoint Petition at 6; BellSouth Petition at 9; AT&T Petition at 7; Ameritech Petition at 11.

³⁷¹ SBMS Petition at 8-11.

³⁷² AT&T Further Comments at 3.

very late in this proceeding in response to the Wireless Telecommunications Bureau's October 3 Public Notice, although the Notice did not seek additional comment on liability issues. No other party appears to have responded to this proposal. Despite AT&T's suggestion that its proposal relieves concerns about preemption of state tort law, it would appear that adoption of a default standard would in fact operate to preempt state law. If a default is to have any effect, it presumably must at least preclude state courts from applying state common law or precedent to wireless 911 liability issues. We find no adequate basis for imposing this sort of preemption upon the states.

142. With regard to AT&T's request that the Department of Justice's opinion regarding the application of the Wiretap Act be made available for review and comment, we do not believe it is necessary to seek comment. AT&T expresses its concern about carrier liability for disclosing calling party number, location, and other call related information to emergency personnel under the Wiretap Act.³⁷³ After the petitions for reconsideration were filed, the Commission received the Department of Justice's opinion.³⁷⁴ The Commission has already issued a Public Notice announcing the Department of Justice's opinion and the text of the opinion has been included in the docket for review. In a Memorandum Opinion, the Department of Justice concludes that the requirements of the Commission's rules relating to wireless E911 features and functions do not violate either the Wiretap Act, the Electronic Communications Act,³⁷⁵ or the Fourth Amendment to the United States Constitution. In particular, with respect to the interpretation of Section 1002(a) of the Wiretap Act, the Department of Justice concludes that the statutory provision, by its terms, does not prohibit a wireless carrier's transmission to local public safety organizations of information regarding the physical location of a wireless 911 caller.³⁷⁶

2. Cost Recovery and Funding

143. In the *E911 First Report and Order*, the Commission determined not to prescribe a particular E911 cost recovery methodology, because (1) the record did not demonstrate a need for such action; and (2) an inflexible Federal prescription would deny carriers and Government officials the freedom to develop innovative cost recovery solutions tailored to local conditions and needs.³⁷⁷ The Commission also added that nothing in the record persuaded the Commission that, as a general matter, all state and local E911 cost recovery mechanisms are either necessarily

³⁷³ AT&T Petition at 7.

³⁷⁴ See Memorandum Opinion for J. Keeney, Acting Assistant Attorney General, Criminal Division, Department of Justice, attached to Public Notice, DA 96-2067.

³⁷⁵ Section 2703 of the Electronic Communications Act of 1986, 18 U.S.C. • 2703.

³⁷⁶ Department of Justice, Memorandum Opinion at 5.

³⁷⁷ *E911 First Report and Order*, 11 FCC Rcd at 18722 (paras. 89-90).

permissible, or necessarily barred, under the provisions of Section 332(c) preempting state rate regulation of CMRS.³⁷⁸

144. A number of petitioners argue that the Commission should require a Federal cost recovery mechanism or guidance to prevent discrimination against wireless carriers, or guarantee that the carriers will be paid.³⁷⁹ On the other hand, public safety organizations and state governments urge denial of these petitions, contending that the Commission properly rejected establishing a Federal cost recovery mechanism.³⁸⁰ In particular, Joint Commenters contend that petitioners reiterate arguments the Commission has already considered and denied in the Order.³⁸¹ They also argue that petitioners have given the Commission no reason to change our decision favoring state and local initiatives for cost-effective and creative solutions to funding of wireless compatibility improvements.³⁸²

145. We reaffirm our decision and deny petitions to establish a Federal cost recovery mechanism for the reasons stated in the *E911 First Report and Order*. We continue to find no adequate basis on this record for preemption of the various state and local funding mechanisms that are in place or under development, or for concluding that state and local cost recovery mechanisms will be discriminatory or inadequate.

146. Although some parties argue that the Commission should clarify who would be eligible to recover their costs in implementing E911 systems, we leave these issues to the state and local entities. We agree with the Joint Commenters that, absent failures of local agreement on funding mechanisms for the necessary compatibility upgrades by PSAPs, wireless and wireline carriers, and radiolocation and equipment vendors, national prescriptions are not warranted.

3. Additional Issues

147. In addition to their specific proposals, the parties to the Joint Letter also request that the Commission refrain from making any decisions at this time other than those related to their proposals. The Joint Letter states that the parties have scheduled meetings to discuss certain issues, and argues that only when all relevant parties have had the opportunity to study in depth

³⁷⁸ *Id.* (para. 90).

³⁷⁹ Ameritech Petition at 16-17; AT&T Petition at 2-4; PrimeCo Petition at 7; PCIA Petition at 13-15; Omnipoint Petition at 19-20.

³⁸⁰ Alliance Opposition at 7-8; Chicago Opposition at 2-3; Joint Commenters Opposition 5-7; TX-ACSEC Opposition at 7-9.

³⁸¹ Joint Commenters Opposition at 5-6.

³⁸² *Id.*

and present consensus positions to the Commission will the Commission have sufficient information to make a reasoned decision. The Joint Letter specifically proposes deferral of decisions regarding carrier liability, certain call back capabilities, strongest signal technology, the use of temporary call back numbers, and the status of uninitialized phones.³⁸³

148. We have not deferred decisions on any of these issues based on the Joint Letter. Interested parties have had numerous opportunities to develop proposals to address the issues in this proceeding. They have also had many opportunities to present their views on the record, both individually and jointly. While we encourage all parties to work toward the effective resolution of issues in this and other proceedings in the public interest, we will not delay decisions on the current record in the hope that this will happen.

IV. PROCEDURAL MATTERS

A. Regulatory Flexibility Act

149. As required by Section 603 of the Regulatory Flexibility Act, the Commission has prepared a Supplemental Final Regulatory Flexibility Analysis of the expected impact on small entities of the changes in our rules adopted herein. The Supplemental Final Regulatory Flexibility analysis is set forth in Appendix C.

B. Paperwork Reduction Act of 1995 Analysis

150. This Order contains either proposed or modified information collections. As part of its continuing effort to reduce paperwork burdens, we invite the general public and the Office of Management and Budget (OMB) to take this opportunity to comment on the information collections contained in this Order, as required by the Paperwork Reduction Act of 1995, Pub. L. No. 104-13. Public and agency comments are due 60 days from date of publication of this Order in the Federal Register. Comments should address:

- Whether the proposed collection of information is necessary for the proper performance of the functions of the Commission, including whether the information shall have practical utility.
- The accuracy of the Commission's burden estimates.
- Ways to enhance the quality, utility, and clarity of the information collected.
- Ways to minimize the burden of the collection of information on the respondents, including

³⁸³ Joint Letter at 4.

the use of automated collection techniques or other forms of information technology.

Comments on the information collections contained in this Order should be submitted to Judy Boley, Federal Communications Commission, Room 234, 1919 M Street, N.W., Washington, DC 20554, or via the Internet to jboley@fcc.gov, and to Timothy Fain, OMB Desk Officer, 10236 NEOB, 725 - 17th Street, N.W., Washington, DC 20503, or via the Internet to fain_t@al.eop.gov.

C. Authority

151. This action is taken pursuant to Sections 1, 4(i), 201, 303, 309, and 332 of the Communications Act of 1934, as amended by the Telecommunications Act of 1996, 47 U.S.C. • • 151, 154(i), 201, 303, 309, 332.

D. Further Information

152. For further information, contact Dan Grosh or Won Kim of the Policy Division, Wireless Telecommunications Bureau, at 202-418-1310 (voice) or 202-418-1169 (TTY).

V. ORDERING CLAUSES

153. Accordingly, IT IS ORDERED that the Petitions for Reconsideration of the First Report and Order, Revision of the Commission's Rules to Ensure Compatibility with Enhanced 911 Emergency Calling Systems, CC Docket No. 94-102, 11 FCC Rcd 18676 (1996), filed by parties listed in Appendix A, ARE GRANTED in part, as provided in the text of the Order, and OTHERWISE DENIED.

154. IT IS FURTHER ORDERED that Part 20 of the Commission's Rules is amended as set forth in Appendix B.

155. IT IS FURTHER ORDERED that Sections 20.18(a), 20.18(c), and 20.18(g) of the Commission's Rules, 47 C.F.R. • • 20.18(a), 20.18(c), 20.18(g), as amended by this Order in Appendix B, and the foregoing provisions of this Order that pertain to Sections 20.18(a), 20.18(c), and 20.18(g) of the Commission's Rules, SHALL BECOME EFFECTIVE upon publication in the Federal Register. This action is taken on the basis of our finding that, because the amended provisions of Sections 20.18(a), 20.18(c), and 20.18(g) are substantive rules that have the effect of granting an exemption, the effective date of these provisions may occur less than 30 days before publication of the provisions, pursuant to Section 553(d)(1) of title 5, United States Code.

156. IT IS FURTHER ORDERED that (1) Section 20.18(b) of the Commission's Rules, 47 C.F.R. • 20.18(b), as amended by this Order in Appendix B; (2) the definition of "designated PSAP" in Section 20.3 of the Commission's Rules, 47 C.F.R. • 20.3, as added by this Order in Appendix B; and (3) the foregoing provisions of this Order that pertain to Section 20.18(b) of the Commission's Rules, and to the definition of "designated PSAP" in Section 20.3 of the Commission's Rules SHALL BECOME EFFECTIVE upon publication in the Federal Register. This action is taken, pursuant to Section 553(d)(3) of title 5, United States Code, on the basis of our finding that there is good cause that the effective date of these provisions should occur less than 30 days before publication of the provisions. Our finding of good cause is based upon our conclusion that the rule change will serve the purpose of "promoting the safety of life and property" under Section 1 of the Communications Act and that the particular safety issues involved • extending the benefits of 911 services to as many wireless phone users as possible • are of sufficient importance to warrant making the rule requirements immediately effective upon publication in the Federal Register. In addition, we note that, since the adoption of the *E911 First Report and Order* in June 1996 there has been considerable confusion and uncertainty regarding the ability of covered carriers to comply with the provisions of Section 20.18(b) of the Commission's Rules, as those provisions were initially prescribed in the *E911 First Report and Order*. This confusion and uncertainty were heightened by assertions made by the Wireless 911 Coalition regarding technical issues associated with requirements imposed by the rule.³⁸⁴ Although the decision of the Wireless Telecommunications Bureau in the *Stay Order* was an appropriate step in this case in light of the continuing pendency of these issues at the time the *Stay Order* was issued, it also resulted in a continuation of the confusion and uncertainty surrounding the question of whether all users of wireless services provided by covered carriers could expect and rely upon the fact that their 911 calls would go through to emergency service providers. Now that we have resolved this issue by the action we take today, we can find no basis for any failure to end as quickly as possible this confusion and uncertainty regarding the obligations of covered carriers and the public safety expectations of the users of wireless services.

157. IT IS FURTHER ORDERED that the remaining rule amendments made by this Order and specified in Appendix B SHALL BECOME EFFECTIVE 30 days after the date of the publication of the rule amendments in the Federal Register.

158. IT IS FURTHER ORDERED that the Wireless Telecommunications Bureau is hereby delegated authority to grant an additional 3-month suspension of enforcement of Section 20.18(c) of the Commission's Rules, 47 C.F.R. • 20.18(c), until January 1, 1999, with respect to wireless carriers who use digital wireless systems, upon reviewing the joint quarterly status reports on TTY compatibility with digital systems filed by the signatories to the TTY Consensus Agreement.

³⁸⁴ See para. 0, *supra*.

159. IT IS FURTHER ORDERED that the signatories to the TTY Consensus Agreement SHALL FILE a joint quarterly status report regarding TTY compatibility with digital systems within 10 days after the end of each calendar quarter during the period beginning January 1, 1998 and ending September 30, 1998, with the first report due April 10, 1998, as set forth in the foregoing provisions of this Order.

160. IT IS FURTHER ORDERED that the Request of an Extension of Time to File the Joint Status Report on TTY Issues, filed by the Cellular Telecommunications Industry Association on October 1, 1997, IS GRANTED, and that the signatories to the Consensus Agreement, the Personal Communications Industry Association, and Telecommunications for the Deaf, Inc. must file a Joint Status Report on or before December 31, 1997.

161. IT IS FURTHER ORDERED that the information collections contained in the rule amendments set forth in Appendix B WILL BECOME EFFECTIVE following approval by the Office of Management and Budget. The Commission will publish a document at a later date establishing the effective date.

162. IT IS FURTHER ORDERED that, the Director of the Office of Public Affairs shall send a copy of this Order, including the Supplementary Final Regulatory Flexibility Analysis, to the Chief Counsel for Advocacy of the Small Business Administration in accordance with paragraph 603(a) of the Regulatory Flexibility Act, 5 U.S.C. • • 601 *et seq.*

FEDERAL COMMUNICATIONS COMMISSION

Magalie Roman Salas
Secretary

APPENDIX A - LIST OF PARTIES**A. Petitions for Reconsideration or Clarification : September 3, 1996**

1. Ameritech
2. AMTA (American Mobile Telecommunications Associations, Inc.)
3. AT&T (AT&T Wireless Services, Inc.)
4. BANM (Bell Atlantic NYNEX Mobile)
5. BellSouth (BellSouth Corporation)
6. Coast Guard (United States Coast Guard)
7. CTIA (Cellular Telecommunications Industry Association)
8. Nextel (Nextel Communications, Inc.)
9. Nokia (Nokia Telecommunications, Inc.)
10. Omnipoint (Omnipoint Communications, Inc.)
11. PCIA (Personal Communications Industry Association)
12. PrimeCo (PrimeCo Personal Communications, L.P.)
13. SBMS (Southwestern Bell Mobile Systems, Inc.)
14. SBT (Small Business in Telecommunications, Inc.)
15. TIA (Telecommunications Industry Association)
16. XYPOINT (XYPOINT Corporation)

B. Oppositions and Comments to Petitions for Reconsideration : October 8, 1996

1. AMSC (AMSC Subsidiary Corp.)
2. Alliance (Ad Hoc Alliance for Public Access to 911)
3. Chicago (The City of Chicago)
4. I-95 Coalition (I-95 Corridor Coalition)
5. Joint Commenters (APCO, NENA, and NASNA)
6. KSI (KSI Inc. and MULOC Inc.)
7. LQL (L/Q Licensee, Inc.)
8. Nextel (Nextel Communications)
9. PBMS (Pacific Bell Mobile Services)
10. TX-ACSEC (Texas Advisory Commission on State Emergency Communications)

C. Replies to Oppositions : October 18, 1996

1. Ameritech (Ameritech Corporation)
2. AT&T (AT&T Wireless Services, Inc.)
3. BellSouth (BellSouth Corporation)
4. CAN (Consumer Action Network)
5. COMSAT (COMSAT Corporation)
6. Motorola (Motorola, Inc.)
7. Motorola Satellite (Motorola Satellite Communications, Inc.)

8. NAD (National Association of the Deaf)
9. Nextel (Nextel Communications, Inc.)
10. Omnipoint (Omnipoint Communications, Inc.)

D. Ex Parte Presentations Subject to July 16, 1997, Public Notice

1. Alliance (Ad Hoc Alliance for Public Access to 911): July 11, 1997.
2. Coalition (Wireless E911 Coalition): July 10, 1997.
3. GTE (GTE Wireless Service Corporation): July 7, 1997.

F. Additional Comments Filed in Response to the July 16 Public Notice : July 28, 1997.

1. AirTouch (AirTouch Communications, Inc.)
2. APCO (Association of Public-Safety Communications Officials-International, Inc.)
3. AT&T (AT&T Wireless Services, Inc.)
4. BANM (Bell Atlantic NYNEX Mobile)
5. CTIA (Cellular Telecommunications Industry Association)
6. MULOC (MULOC, Inc.)
7. NENA (National Emergency Number Association)
8. Nextel (Nextel Communications, Inc.)
9. RCA (Rural Cellular Association)
10. SBMS (Southwestern Bell Mobile Systems)
11. XYPOINT (XYPOINT Corporation)
12. 360° (360° Communications Company)

G. Ex Parte Presentations Subject to October 3, 1997, Public Notice

1. Joint Letter (CTIA, PCIA, APCO, NENA, and NASNA) : September 25, 1997
2. Eshoo Letter (Congresswoman Anna Eshoo) : September 29, 1997
3. Alliance Letter (Ad Hoc Alliance for Public Access to 911) : September 30, 1997

H. Further Comments in Response to the October 3 Public Notice

• **Comments : Filed October 17, 1997**

1. AirTouch (AirTouch Communications, Inc.)
2. AT&T (AT&T Wireless Services, Inc.)
3. BellSouth (BellSouth Corporation)
4. CTIA (Cellular Telecommunications Industry Association)
5. GTE (GTE Service Corporation)
6. Nextel (Nextel Communications, Inc.)

7. MCC (Matsushita Communication Industrial Corporation of America)
8. PCIA (Personal Communications Industry Association)
9. PrimeCo (PrimeCo Personal Communications, L.P.)
10. Sprint PCS (Sprint Spectrum, L.P.)
11. TruePosition (TruePosition, Inc.)
12. US West (US West, Inc.)

• **Reply Comments : Filed October 27, 1997**

1. Ameritech (Ameritech Corporation)
2. AMTA (American Mobile Telecommunications Associations, Inc.)
3. AT&T (AT&T Wireless Services, Inc.)
4. Joint Reply Comments (APCO, NENA and NASNA)
5. Zoltar (Zoltar Satellite Alarm Systems)

APPENDIX B - FINAL RULES

Part 20 of Title 47 of the Code of Federal Regulations is amended as follows:

Part 20 - COMMERCIAL MOBILE RADIO SERVICES

1. Section 20.3 is amended by revising the following definitions to read as follows:

Section 20.3 Definitions

* * * * *

Automatic Number Identification (ANI). A system that identifies the billing account for a call. For 911 systems, the ANI identifies the calling party and may be used as a call back number.

* * * * *

Pseudo Automatic Number Identification (Pseudo-ANI). A number, consisting of the same number of digits as ANI, that is not a North American Numbering Plan telephone directory number and may be used in place of an ANI to convey special meaning. The special meaning assigned to the pseudo-ANI is determined by agreements, as necessary, between the system originating the call, intermediate systems handling and routing the call, and the destination system.

* * * * *

2. Section 20.3 is amended by deleting the following definitions:

Code Identification. A Mobile Identification Number for calls carried over the facilities of a cellular or Broadband PCS licensees, or the functional equivalent of a Mobile Identification Number in the case of calls carried over the facilities of a Specialized Mobile Radio Services.

* * * * *

Mobile Identification Number. A 34-bit number that is a digital representation of the 10-digit directory telephone number assigned to a mobile station.

* * * * *

3. Section 20.3 is amended by adding the following definition to read as follows:

Designated PSAP. The Public Safety Answering Point (PSAP) designated by the local or state entity that has the authority and responsibility to designate the PSAP to receive wireless 911 calls.

* * * * *

4. Section 20.18 is amended by revising it to read as follows:

• **20.18 911 Service.**

(a) Scope of Section. The following requirements are only applicable to Broadband Personal Communications Services (part 24, subpart E of this chapter), Cellular Radio Telephone Service (part 22, subpart H of this chapter), and Geographic Area Specialized Mobile Radio Services and Incumbent Wide Area SMR Licensees in the 800 MHz and 900 MHz bands (included in Part 90, subpart S of this chapter). In addition, service providers in these enumerated services are subject to the following requirements solely to the extent that they offer real-time, two way switched voice service that is interconnected with the public switched network and utilize an in-network switching facility which enables the provider to reuse frequencies and accomplish seamless hand-offs of subscriber calls.

(b) Basic 911 Service : Licensees subject to this section must transmit all wireless 911 calls without respect to their call validation process to a Public Safety Answering Point, provided that "all wireless 911 calls" is defined as "any call initiated by a wireless user dialing 911 on a phone using a compliant radio frequency protocol of the serving carrier."

(c) TTY Access to 911 Services : Licensees subject to this section must be capable of transmitting 911 calls from individuals with speech or hearing disabilities through means other than mobile radio handsets, *e.g.*, through the use of Text Telephone Devices (TTY).

NOTE: Enforcement of the provisions of this subsection is suspended until October 1, 1998, in the case of calls made using a digital wireless system that is not compatible with TTY calls, provided that the licensee operating such a digital system shall make every reasonable effort to notify current and potential subscribers who use or may use such a system that they will not be able to make a 911 call over such system through the use of a TTY device.

(d) Phase I Enhanced 911 Services

(1) As of April 1, 1998, licensees subject to this section must provide the telephone number of the originator of a 911 call and the location of the cell site or base station receiving a 911 call from any mobile handset accessing their systems to the designated Public Safety Answering Point through the use of ANI and Pseudo-ANI.

(2) When the directory number of the handset used to originate a 911 call is not available to the serving carrier, such carrier's obligations under the paragraph (d)(1) extend only to delivering 911 calls and available calling party information to the designated Public Safety Answering Point.

NOTE: With respect to 911 calls accessing their systems through the use of TTYs, licensees subject to this section must comply with the requirements in paragraphs (d)(1) and (d)(2) above, as to calls made using a digital wireless system, as of October 1, 1998.

(e) Phase II Enhanced 911 Services As of October 1, 2001, licensees subject to this section must provide to the designated Public Safety Answering Point the location of all 911 calls by longitude and latitude such that the accuracy for all calls is 125 meters or less using a Root Mean Square (RMS) methodology.

(f) Conditions for Enhanced 911 Services The requirements set forth in paragraphs (d) and (e) of this section shall be applicable only if the administrator of the designated Public Safety Answering Point has requested the services required under those paragraphs and is capable of receiving and utilizing the data elements associated with the service, and a mechanism for recovering the costs of the service is in place.

(g) Dispatch Service A service provider covered by this section who offers dispatch service to customers may meet the requirements of this section with respect to customers who utilize dispatch service either by complying with the requirements set forth in paragraphs (b) through (e) of this section, or by routing the customer's emergency calls through a dispatcher. If the service provider chooses the latter alternative, it must make every reasonable effort to explicitly notify its current and potential dispatch customers and their users that they are not able to directly reach a PSAP by calling 911 and that, in the event of an emergency, the dispatcher should be contacted.

APPENDIX C**Supplemental Final Regulatory Flexibility Analysis**

As required by the Regulatory Flexibility Act, 5 U.S.C. • 603 (RFA), a Final Regulatory Flexibility Analysis (FRFA) was incorporated in Appendix B of the *E911 First Report and Order* in this proceeding. The Commission's Supplemental Final Regulatory Flexibility Analysis (SFRFA) in this *Memorandum Opinion and Order (MO&O)* reflects revised or additional information to that contained in the FRFA. The SFRFA is thus limited to matters raised in response to the *E911 First Report and Order* and addressed in this *MO&O*. This SFRFA conforms to the RFA, as amended by the Contract with America Advancement Act of 1996 (CWAAA), Pub. L. No. 104-121, 110 Stat. 846 (1996).³⁸⁵

I. Need For and Objectives of the Action

The actions taken in this *MO&O* are in response to petitions for reconsideration or clarification of the rules adopted in the *E911 First Report and Order* requiring wireless carriers to implement 911 and Enhanced 911 (E911) services. The limited revisions made in the *MO&O* are intended to remedy technical problems raised in the record while otherwise reaffirming the Commission's commitment to the rapid implementation of the technologies needed to bring emergency help to wireless callers throughout the United States.

II. Summary of Significant Issues raised by the Public Comments in Response to the Final Regulatory Flexibility Statement

No comments were received in direct response to the FRFA, but the Commission received 16 petitions for reconsideration of the *E911 First Report and Order*.³⁸⁶ The majority of petitioners ask that the Commission reconsider the rules governing when covered wireless carriers must make 911 access available to callers. Other petitioners ask that the Commission reconsider or clarify a variety of issues ranging from the implementation date for covered carriers to provide 911 access to people with hearing or speech disabilities through the use of Text Telephone Devices, such as TTYs, to the definition of which wireless carriers must comply with the rules, particularly in regard to "covered Special Mobile Radios (SMRs)." Paragraphs 1-5 of this *MO&O* provide a more detailed discussions of the petitions and the resulting actions. Additionally, as discussed in paragraphs 10-12, several parties filed *ex parte* presentations raising technical issues which prompted the Commission to stay the October 1, 1997 implementation dates for Section 20.18(a), (b), and (c) through November 30, 1997, and to seek further comment.

³⁸⁵ Title II of the Contract with America Act is "The Small Business Regulatory Enforcement Fairness Act of 1996" (SBREFA), codified at 5 U.S.C. •• 601 *et seq.*

³⁸⁶ See Appendix A for a full list of parties in this proceeding.

III. Description and Estimate of the Number of Small Entities to Which Rules Will Apply

The rules adopted in this *MO&O* will apply to providers of broadband Personal Communications Service (PCS), Cellular Radio Telephone Service, and Specialized Mobile Radio (SMR) Services in the 800 MHz and 900 MHz bands. Service providers in these services are subject to 911 requirements solely to the extent that they offer real-time, two way switched voice service that is interconnected with the public switched network and utilize an in-network switching facility which enables the provider to reuse frequencies and accomplish seamless hand-offs of subscriber calls.

a. Estimates for Cellular Licensees

As indicated in the FRFA, the Commission has not developed a definition of small entities applicable to cellular licensees. Therefore, the applicable definition of small entity is the definition under the Small Business Administration (SBA) rules applicable to radiotelephone companies. This definition provides that a small entity is a radiotelephone company employing fewer than 1,500 persons.³⁸⁷ In addition to the data supplied in the FRFA, a more recent source of information regarding the number of cellular services carriers nationwide is the data that the Commission collects annually in connection with the Telecommunications Relay Service (TRS) Worksheet.³⁸⁸ That data shows that 792 companies reported that they were engaged in the provision of cellular services. Although it seems certain that some of these carriers have fewer than 1,500 employees, and because a cellular licensee may have several licenses, we are unable at this time to estimate with greater precision the number of cellular carriers that would qualify as small business concerns under the SBA's definition. Consequently, we estimate that, for purposes of our evaluations and conclusions in the SFRFA, all of the current cellular licensees are small entities, as that term is defined by the SBA.

b. Estimates for Broadband PCS Licensees

As indicated in the FRFA, the broadband PCS spectrum is divided into six frequency blocks designated A through F. The FRFA provides a full explanation as to the definition of small business in the context of broadband PCS licensees, using the definition SBA approved, developed by the Commission for Blocks C-F, that a small business is an entity that has average

³⁸⁷ 13 C.F.R. • 121.201, Standard Industrial Classification (SIC) Code 4812.

³⁸⁸ Federal Communications Commission, CCB Industry Analysis Division, Telecommunication Industry Revenue: TRS Worksheet Data, Tbl. 1 (Average Total Telecommunication Revenue Reported by Class of Carrier) (December 1996) (TRS Worksheet).

gross revenues of less than \$40 million in the three previous calendar years.³⁸⁹ In addition, the SBA has approved a Commission definition (for Block F) of "very small business" which is an entity that, together with their affiliates, has average gross revenues of not more than \$15 million for the preceding three calendar years.³⁹⁰ No small businesses within the SBA approved definition bid successfully for licenses in Blocks A and B. There were 90 winning bidders that qualified as small entities in the Block C auctions. A total of 93 small and very small business bidders won approximately 40 percent of the 1,479 licenses for Blocks D, E, and F.³⁹¹ However, not all licenses for Block F have been awarded. Because licenses were awarded only recently, there are few small businesses currently providing broadband PCS services. Based on this information, we conclude that the number of small broadband PCS licensees includes the 90 small business winning C Block bidders and the 93 qualifying bidders in the D, E, and F Blocks, for a total of 183 small broadband PCS providers as defined by the SBA and the Commission's auction rules.

c. Estimates for SMR Licensees

The FRFA indicates that, pursuant to 47 C.F.R. • 90.814(b)(1), the Commission has defined "small entity" for geographic area 800 MHz and 900 MHz SMR licenses as firms that had average gross revenues of less than \$15 million in the three previous calendar years. This regulation defining "small entity" in the context of 800 MHz and 900 MHz SMR has been approved by the SBA.³⁹² As the FRFA noted, we do not know how many firms provide 800 MHz or 900 MHz geographic area SMR service pursuant to extended implementation authorizations, nor how many of these providers have annual revenues of less than \$15 million. The number of licensees cannot be estimated, because, although we know that there are a total of slightly more than 31,000 SMR licensees, one licensee can hold more than one license. We do know, however, that one of these firms has over \$15 million in revenues. We assume, for purposes of our evaluations and conclusions in this SFRFA, that all of the remaining existing extended implementation authorizations are held by small entities, as that term is defined by the SBA.

³⁸⁹ See Amendment of Parts 20 and 24 of the Commission's Rules • Broadband PCS Competitive Bidding and the Commercial Mobile Radio Service Spectrum Cap, WT Docket No. 96-59, Report and Order, 11 FCC Rcd 7824 (1996), 61 FR 33859 (July 1, 1996).

³⁹⁰ *Id.* at para. 60.

³⁹¹ FCC News, Broadband PCS, D, E, and F Block Auction Closes, No. 71744 (released Jan. 14, 1997).

³⁹² See Amendment of Parts 2 and 90 of the Commission's Rules to Provide for the Use of 200 Channels Outside the Designated Filing Areas in the 896-901 MHz and the 935-940 MHz Bands Allotted to the Specialized Mobile Radio Pool, PR Docket No. 89-583, Second Order on Reconsideration and Seventh Report and Order, 11 FCC Rcd 2639, 2693-702 (1995); Amendment of Part 90 of the Commission's Rules to Facilitate Future Development of SMR Systems in the 800 MHz Frequency Band, PR Docket No. 93-144, First Report and Order, Eighth Report and Order, and Second Further Notice of Proposed Rulemaking, 11 FCC Rcd 1463 (1995).

Further, the Commission has no way of accurately determining which licensees would fall under the definition of "covered carrier" as expressed in the *MO&O*.³⁹³ The Commission still concludes that the number of geographic area SMR licensees affected by our action in this proceeding includes the 55 small entities who bid for and won geographic licenses in the 900 MHz SMR band. These 55 small entities hold a total of 245 licenses. As of the adopted date of this decision, the auction for 800 MHz geographic area SMR licenses had not yet been completed. A total of 525 licenses will be awarded for the upper 200 channels in the 800 MHz geographic area SMR auction. However, the Commission has not yet determined how many licenses will be awarded for the lower 230 channels in the 800 MHz geographic area SMR auction. There is no basis to estimate, moreover, how many small entities within the SBA's definition will win these licenses. Given the facts that nearly all radiotelephone companies have fewer than 1,000 employees and that no reliable estimate of the number of prospective 800 MHz licensees can be made, we assume, for purposes of our evaluations and conclusions in this SFRFA, that all of the licenses will be awarded to small entities, as that term is defined by the SBA.

IV. Description of Projected Reporting, Recordkeeping, and Other Compliance Requirements

The Commission is submitting several burdens to the Office of Management and Budget for approval. First, Public Safety Answering Points (PSAP) who are willing to participate in Phase I and Phase II of E911 service must notify the covered carrier that they are capable of receiving and utilizing the data elements associated with the service and request the service.³⁹⁴ Also, cost recovery mechanisms must be in place as a prerequisite to the imposition of enhanced 911 service requirements upon covered carriers.³⁹⁵ In the *MO&O*, the Commission requires that covered carriers whose digital systems are not compatible with TTY calls must make every reasonable effort to notify current and potential subscribers that they will not be able to use TTYs to call 911 with digital wireless devices and services.³⁹⁶

In addition, to monitor the progress of the wireless industry regarding TTY compatibility, the Commission requires that the signatories to the TTY Consensus Agreement file quarterly progress reports in this docket within ten days after the end of the quarter beginning January 1, 1998, until the quarter ending September 30, 1998.³⁹⁷ At the same time, the Commission grants

³⁹³ See discussion at paras. 75-83, *supra*.

³⁹⁴ *E911 First Report and Order*, 11 FCC Rcd at 18708-10 (paras. 63-66).

³⁹⁵ *Id.* at 18684 (paras. 11).

³⁹⁶ See discussion at paras. 60-61, *supra*.

³⁹⁷ See discussion at paras. 63-64, *supra*.

the request of extension of time to file a Joint Status Report on TTY issues, that was due on October 1, 1997, and requires the signatories to the Consensus Agreement to file the Joint Status Report on TTY issues by December 30, 1997.³⁹⁸

In the *MO&O*, the Commission also requires that covered carriers who offer dispatch service to customers and choose to comply with Commission rules by routing dispatch customer emergency calls through a dispatcher, rather than directly routing to the PSAP, must make every reasonable effort to explicitly notify the current and potential dispatch customers and their users that they will not be able to directly reach a PSAP by calling 911 and that, in the event of an emergency, the dispatcher should be contacted.³⁹⁹

The *MO&O*, while revising the definition of "pseudo-ANI," provides that the specific meaning assigned to the pseudo-ANI is determined by agreements, as necessary, between the telephone system originating the call, intermediate telephone systems handling and routing the call, and the destination telephone system.⁴⁰⁰ Additionally, in recognition of the difficulty involved in assigning wireless 911 calls to the appropriate PSAP based on location, the *MO&O* clarifies that the responsible local or State entity has the authority and responsibility to designate the PSAPs that are appropriate to receive wireless E911 calls, noting that this will require continued coordination between carriers and State and local entities.⁴⁰¹ The *MO&O* lastly provides that covered carriers can request a waiver of the Phase I implementation schedule based on inability to transmit 10-digit telephone numbers and cell site information, but requires that any waiver request based on a LEC's capability must be accompanied by a deployment schedule for meeting the Phase I requirements.⁴⁰²

V. Significant Alternatives and Steps Taken By Agency to Minimize Significant Economic Impact on Small Entities Consistent with Stated Objectives

This *MO&O* is adopted in response to petitions for reconsideration, including several filed by small businesses. After consideration of these petitions, the *MO&O* first modifies the rules by requiring covered carriers to transmit all 911 calls.⁴⁰³ Section 20.18(b) of the Commission's Rules, 47 C.F.R. • 20.18(b), as adopted in the *E911 First Report and Order*, required that

³⁹⁸ See para. 62, *supra*.

³⁹⁹ See para. 80, *supra*.

⁴⁰⁰ See discussion at paras. 100-103, *supra*.

⁴⁰¹ See discussion at paras. 98-99, *supra*.

⁴⁰² See para. 107, *supra*.

⁴⁰³ See discussion at paras. 25-41, *supra*.

carriers transmit 911 calls from all handsets which transmit "code identifications" and transmit all 911 calls, even those without code identification, if requested to do so by a PSAP administrator.⁴⁰⁴ Thirteen of the sixteen petitioners ask that the Commission reconsider this requirement. After a review of the arguments raised by the petitioners in opposition to the rule, the *MO&O* finds that the rules adopted in the *E911 First Report and Order* would impose unreasonable cost, delay, and administrative burdens on wireless carriers, and that, at least for the present, the most practical, least expensive and most efficient option is to require covered carriers to forward all 911 calls.⁴⁰⁵

Three original petitioners request that the Commission modify or defer the implementation dates of rules requiring covered carriers to provide 911 access to people with hearing or speech disabilities through the use of TTYs with respect to digital wireless systems, due to technical incompatibility. Although the Commission decides against deferring the implementation date indefinitely until the industry standards bodies resolve all the technical issues, as these petitioners request, it temporarily suspends enforcement of the TTY requirement for digital wireless systems until October 1, 1998, subject to a notification requirement.⁴⁰⁶

Also, in response to 5 petitions seeking reconsideration of the Commission's decision as to the wireless carriers to whom the rules apply particularly for covered SMRs, the *MO&O* narrows the definition of "Covered SMRs" for E911 purposes to include only those systems that offer real-time, two way switched voice service that is interconnected with the public switched network and utilize an in-network switching facility which enables the provider to reuse frequencies and accomplish seamless hand-offs of subscriber calls.⁴⁰⁷ The Commission also decides to extend the modified definition to covered broadband PCS and cellular as well as SMR providers.⁴⁰⁸ We agree with the petitioners on this issue that the current rule could encompass SMR providers that primarily offer traditional dispatch services but also offer limited interconnection capability and that such traditional dispatch providers would have to overcome significant and potentially costly obstacles to provide 911 access. Furthermore, under the revised rules, the "covered" SMR systems that offer dispatch services to customers may meet their 911 obligations either by providing customers with direct capability for 911 purposes, or alternatively, by routing dispatch customer emergency calls through a dispatcher, subject to a notification requirement.⁴⁰⁹

⁴⁰⁴ See *E911 First Report and Order*, 11 FCC Rcd at 18692-96 (paras. 29-40).

⁴⁰⁵ See discussion at paras. 25-41, *supra*.

⁴⁰⁶ See discussion at paras. 53-64, *supra*.

⁴⁰⁷ See discussion at paras. 75-78, *supra*.

⁴⁰⁸ See para. 78, *supra*.

⁴⁰⁹ See discussion at paras. 79-80, *supra*.

The Commission also reviewed and rejected the Coast Guard's petition, which requested the Commission to apply E911 requirements to Mobile Satellite Services (MSS) and to issue a further notice of proposed rulemaking regarding the provision of emergency communications by MSS systems. In the *MO&O*, the Commission upholds its decision that MSS should be exempt from the 911 and E911 rules because adding specific regulatory requirements to MSS in this early stage of its growth may impede the development of service in ways that might reduce its ability to meet public safety needs. However, the Commission does urge the MSS industry and the public safety community to continue their efforts to develop and establish public safety standards along with international standards bodies.⁴¹⁰

Finally, although several petitioners asked the Commission to establish a specific cost recovery program (rather than the flexible alternative adopted in the *E911 First Report and Order*), the Commission declined to do so preferring to provide government entities with the option of keeping their existing cost recovery program in place or to create a cost recovery program that best suits the needs of all parties concerned in their locality.⁴¹¹

VI. Report to Congress

We will submit a copy of this Supplementary Final Regulatory Flexibility Analysis, along with the *MO&O*, in a report to Congress pursuant to 5 U.S.C. • 801(a)(1)(A). A copy of this SFRFA will also be published in the Federal Register.

⁴¹⁰ See discussion at paras. 87-89, *supra*.

⁴¹¹ See discussion at paras. 143-146, *supra*.

Separate Statement of Chairman William E. Kennard

Revision of the FCC's Rules to Ensure Compatibility with Enhanced 911 Emergency Calling Systems, CC Docket 94-102, Memorandum Opinion and Order
December 1, 1997

Today, the FCC reaffirmed its commitment to the rapid implementation of technologies needed to bring emergency help to wireless callers throughout the United States. In view of the importance of this action for public safety, I want to take this opportunity to state my commitment to ensuring that wireless callers are able to reach emergency services when they need them, and to ensuring that, as soon as possible, wireless 911 callers receive the same location and call-back benefits of enhanced 911 systems that wireline callers currently receive.

The Order the Commission adopted today takes a common sense approach to public safety. Making 911 and enhanced 911 service available to wireless callers will help emergency service providers respond to people in emergency situations as quickly and as effectively as possible. Under the Commission's Order, wireless carriers subject to the 911 rules will be required to transmit all wireless 911 calls (from both subscribers and non-subscribers) to emergency assistance providers or Public Safety Answering Points (PSAPs). When it comes to helping people in emergency situations, we have an obligation to do all that we can to make sure that there are no impediments to their receiving help. Assuring prompt delivery of emergency 911 calls from whatever source, without delay, best serves the public interest.

I would also like to state my commitment to ensuring that persons with disabilities have the same access to telecommunications services, including emergency services, as the rest of the American people. While we were forced by the record in this proceeding to defer the obligation of wireless carriers to transmit 911 TTY calls made on digital systems, I call upon the industry to work with persons with disabilities and the organizations that represent them to resolve the technical problems that make this impossible at this time. I am concerned that the wireless industry has not yet been able to solve the problem of transmitting TTY calls over digital systems. I intend to monitor the efforts of the industry to work with persons with disabilities to ensure that sufficient progress is made to solve this problem. We all must do everything we can to make sure that no segment of our community is left behind when it comes to telecommunications and emergency services.

I am pleased that our order reaffirms our commitment to making enhanced 911 service available for wireless callers. In most places, emergency service teams have the ability to locate a 911 wireline caller and the ability to return that person's call. The Commission today reaffirms the deadlines for the rules for enhanced 911 services that will move us closer to making this a reality for wireless callers as well.

The rules we affirm respecting wireless E-911 move us closer to the day when wireless telephony will be viewed by consumers as a complete substitute for wireline telephony. Our rules are also technology-neutral, and encourage the development of efficient and effective methods for reporting the

location of calls placed from wireless phones. This is important if we are to encourage innovation within the industry. I look forward to working with industry, public safety groups, consumer groups, and consumers on this issue.

Finally, the Order we adopt today finishes the task of putting in place the basic building blocks of 911 and enhanced 911 services for wireless calls. We now must turn our attention to the issues that remain before us to refine the wireless 911 and enhanced 911 system, and that were raised in the Further Notice in this proceeding. One such issue of great importance to me is the issue of whether we should require that wireless 911 calls be sent to a PSAP by the wireless system with the strongest control channel signal. Supporters of this proposal have argued that it would provide a solution to situations where one carrier has a "blank spot" in its radio system but other carriers can provide coverage. I am committed to resolving the issues surrounding this proposal as soon as possible, so that a viable solution to the problem of "blank spots" can be implemented. Public safety demands that the industry work closely with public safety groups and consumer advocates to forge such a solution. I will make this Further Notice issue a priority, and will be closely monitoring efforts to forge technical solutions for effecting the "strongest signal" proposal.

Separate Statement of Commissioner Gloria Tristani

Revision of the Commission's Rules to Ensure Compatibility with Enhanced 911 Emergency Calling Systems, CC Docket No. 94-102, Memorandum Opinion and Order
December 1, 1997

One of the Commission's mandates under the Communications Act is "promoting the safety of life and property through the use of wire and radio communication." Today, we act on that mandate by assuring that all wireless phone users will have access to 911 emergency services without cumbersome code identification or subscriber validation procedures. In doing so, we recognize that ensuring direct access to 911 services is a public good benefitting all Americans, not simply those placing the call. I note that many wireless carriers have acted in the public interest and already implemented the practice of passing all wireless 911 calls.

At the same time we broaden access to 911, it concerns me that we must delay implementation, for digital systems, of our previously adopted requirement that carriers provide 911 access to customers using TTY or text telephone devices. Wireless telephones have become part of our nation's culture precisely because they are about access -- with mobility, they afford constant communication. This key characteristic also makes the wireless phone uniquely useful as a safety device. Indeed, many wireless subscribers cite safety as the main reason for purchasing a mobile telephone, and public safety organizations have observed that a large and ever-increasing number of 911 calls originate from a wireless telephone. I am concerned that by delaying the requirement of TTY compatibility for digital systems, we effectively deny access to those Americans who are deaf, hard-of-hearing, or who have speech disabilities.

In agreeing to a 12-month delay in these requirements, I am mindful that representatives of consumer groups and the deaf and hard-of-hearing community have joined with industry representatives to request additional time for implementation of the TTY requirement. The technical hindrances to TTY compatibility must be resolved through the cooperative efforts of carriers, consumer groups, TTY users, public safety agencies and equipment manufacturers. While I am pleased that this effort has begun, in the coming months I will be particularly attentive to its progress. I expect these groups will exert their best efforts in assuring that all Americans, equally, have access to the combined benefits of wireless telephony and public safety services.